



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

SAFETY DATA SHEET

安全技術說明書

Issued/Revised date 發佈/更改日期: January 01 2023

Document No 文件編號.: HP-230101001

1. Product and Company Identification 產品與廠商資料

Product Name產品名稱		Rechargeable Lithium-Ion Battery Pack 鋰離子電池組
Model Name型號		Refer to appendix 17
Manufacturer Part Number 製造商零件編號		Refer to appendix 17
Customer Part Number客戶零件編號:		Refer to appendix 17
Rating Watt hour (WH) 電池電力(瓦時)		Refer to appendix 17
Details of the supplier of the product 產品供應商的詳細訊息:		
Company (Taiwan) 台灣總公司	Name名稱	SIMPLO TECHNOLOGY CO., LTD. 新普科技股份有限公司
	Address地址:	No. 471, Sec. 2, Bade Rd., Hu Kou Township, Hsinchu County, 30348, Taiwan 台灣, 新竹縣湖口鄉八德路二段471號
	Telephone電話	+886-3-5695920
	Fax傳真	+886-3-5695931
Manufacturer (Changshu) 製造商(常熟廠)	Name名稱	SIMPLO TECHNOLOGY(CHANGSHU)INC. 新世電子(常熟)有限公司
	Address地址	No.888 Dong Nan Avenue, Chang Shu, Jiang Su Province, China 中國, 江蘇省常熟市高新技術產業開發區東南大道 888 號
	Telephone電話	+86-512-52302255
	Fax傳真	+86-512-52302277
Manufacturer (Chongqing) 製造商(重慶廠)	Name名稱	SIMPLO TECHNOLOGY(CHONGQING) INC 新普科技(重慶)有限公司
	Address地址	NO.2 Zongbao Avenue Shapingba District, Chongqing China 中國, 重慶市沙坪壩綜保大道二號



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

Manufacturer (Huapu) 製造商(華普廠)	Telephone電話	+86-23-61718899
	Fax傳真	+86-23-61710488
	Name名稱	HUAPU TECHNOLOGY(CHANGSHU)INC. 華普電子(常熟)有限公司
	Address地址	No.888 Dong Nan Avenue, Chang Shu, Jiang Su Province, China 中國, 江蘇省常熟市高新技術產業開發區東南大道 888 號
	Telephone電話	+86-0512-52302255
	Fax傳真	+86- 0512-52302277
Emergency phone number 緊急電話: +886-3-5695920		

2.Hazard(s) identification 危害識別

The battery is considered as an 「article」 The product is outside of the scope of GHS system
電池被視為「成品」, 產品不在GHS體系涵蓋範圍內

Main Hazards主要危害	When the battery is in extreme pressure deformation, high-temperature environment, overload, short-circuit condition, or disassemble the battery, an explosion of fire and chemical burn hazards may occur. 當電池處於擠壓變形、高溫環境、過載、短路狀態或拆卸電池時, 可能會發生爆炸火災和化學灼傷危險。
Health Hazards健康危害	Contact with the electrolyte of battery may be irritating to skin. eyes and mucous membranes. Fire will produce irritating corrosive and/or toxic gases. Fumes may cause dizziness or suffocation 與電池電解液接觸可能會刺激皮膚。眼睛和粘膜。火災會產生刺激性的腐蝕性和/或有毒氣體。煙霧可能導致頭暈或窒息。
Description of any hazards not otherwise classified 其他未分類危險性說明	Do not dismantle, open or shred the battery, the ingredients contained within could be harmful. 請勿拆卸、打開或撕碎電池, 其中含有的成分可能有害
Ingredient with unknown acute toxicity 未知的急性毒性成份	No information available. 無資料



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

3. Composition / Identification on Ingredients 成分組成信息

Mixtures information: ingredients contained within the battery

混合物信息：電池中包含的成分

Hazardous Ingredients 化學物質名稱	成分比重%	CAS Number CAS號碼
Cobalt oxide 氧化鈷	< 30 %	1307-96-6
Manganese dioxide 二氧化錳	< 30 %	1313-13-9
Nickel oxide 氧化鎳	< 30 %	1313-99-1
Carbon 碳	< 30 %	7440-44-0
Electrolyte (*) 電解質(專利)	< 20 %	616-38-6
Polyvinylidene fluoride (PVdF) 聚偏氟乙烯(PVdF)	< 10 %	24937-79-9
Aluminium foil 鋁箔	2 – 10 %	7429-90-5
Copper foil 銅箔	2 – 10 %	7440-50-8
Aluminium and inert materials 鋁和惰性材料	5 – 10 %	7429-90-5

4. First Aid Measures 急救措施

(a) Description of first aid measures 急救措施說明

Caution! No effect under routine handling and use. If exposure to internal materials within cell due to damaged outer metal casing, the following actions are recommended.

警告！在日常處理和使用下沒有影響。如果由於外部金屬外殼損壞而接觸到電池內部材料，建議採取以下措施。

Inhalation: 吸入	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell. 將傷者轉移到空氣新鮮處，保持呼吸舒適的休息姿勢。如果您感到不適，請就醫。
Skin contact: 皮膚接觸	Immediately flush skin with copious amounts of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing and shoes before reuse. Get medical aid. 若接觸到電池內物質，脫去受汙染的衣物和鞋襪，立即用清水沖洗15分鐘以上。若刺激持續請就醫。
Eye contact: 眼睛接觸	Rinse cautiously with water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

	若接觸到電池內物質，用水小心沖洗 15-20 分鐘。取下隱形眼鏡（如果有且易於操作）。若眼睛刺激持續請就醫
Ingestion 食入	Swallowing battery will be damaged to the respiratory tract and cause chemical burns to the stomach; in serious conditions it will cause Permanent damage. 食入會對呼吸道產生傷害、對腸胃產生燒傷，嚴重會造成永久性損害

(b) Most important symptoms/effects, acute and delayed 主要症狀，急性和遲發性效應

No effect under routine handling and use 在日常處理和使用下沒有影響

(c) Immediate medical attention and special treatment 醫療護理和特殊治療

Note to physicians: Treat symptomatically and supportively. 醫生須知：對症治療。

5. Fire Fighting Measures滅火措施

Suitable extinguishing Media 滅火方法和滅火劑	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 使用適合當地環境和周圍環境的滅火措施
Unsuitable extinguishing Media 不合適的滅火方法和滅火劑	CAUTION: Use of water spray when fighting fire may be inefficient. 注意：滅火時使用噴水器可能效率降低。
Specific Hazards arising from the chemical 特殊危害	Product is or contains a sensitizer. May cause sensitization by skin contact. 產品或/含有一種導致敏感原，可能因皮膚接觸而引起過敏作用。
Hazardous Combustion Products 危險易燃產品	Carbon oxides. 碳氧化物。
Explosion Data 爆炸資料	Sensitivity to Mechanical Impact: No. 機械衝擊靈敏度：不敏感。 Sensitivity to Static Discharge: No. 靜電靈敏度：不敏感。
Protective Equipment and precautions for firefighters 消防員的防護設備及注意事項	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 在任何火災中，佩戴自給式呼吸器壓力要求、MSHA/NIOSH（批准或同等）和全套防護裝備。



6. Accidental Release Measures 洩漏處理方法

Personal precautions, protective equipment and emergency procedures 作業人員防護措施、防護設備和應急處置程式	<u>Personal Precautions: Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.</u> 作業人員注意事項：避免接觸皮膚、眼睛或衣服。確保作業場所通風充足，根據需要使用個人防護裝備，疏散人員到安全區域。
Methods and materials for containment and cleaning up 洩露化學品的收容和清理方法	<u>Methods for Containment: Prevent further leakage or spillage if safe to do so.</u> <u>Methods for cleaning up: Pick up and transfer to properly labeled containers.</u> 抑制方法：在安全的情況下防止進一步洩漏或溢出。 清理方法：撿起並轉移到張貼適當標籤的容器中。

7. Handling and Storage 處理和儲存

Precautions for safe handling 安全處理的注意事項	Do not expose the battery to excessive physical shock or vibration. Short-circuiting should be avoided. However, accidental short-circuiting for a few seconds will not seriously affect the battery. Prolonged short circuits will cause the battery to rapidly lose energy, could generate enough heat to burn skin. Sources of short circuits include jumbled batteries in bulk containers, coins, metal jewelry, metal covered tables, or metal belts used for assembly of batteries in devices. To minimize risk of short-circuiting, the protective case supplied with the battery should be used to cover the terminals when transporting or storing the battery. Do not disassemble or deform the battery. Should an individual cell within a battery become ruptured, do not allow contact with water. 不要讓電池受到過度的物理衝擊或振動。應避免短路。但是，幾秒鐘的意外短路不會對電池造成
--	---



	嚴重影響。長時間的短路會導致電池迅速失去能量，可能產生足夠的熱量來灼傷皮膚。短路的來源包括散裝容器中的雜亂電池、硬幣、金屬首飾、金屬覆蓋的桌子或用於在設備中組裝電池的金屬帶。為將短路風險降至最低，在運輸或存放電池時，應使用電池隨附的保護盒蓋住端子。請勿拆卸或變形電池。如果電池中的單顆電池發生破裂，請勿與水接觸。
Conditions for safe storage, including any incompatibilities 安全儲存條件，包括任何不相容性	The lithium ion battery should be between 25% and 75% of full charge when stored for a long period of time. Stored in a cool, dry, and well-ventilated area. Elevated temperatures can result in loss of battery performance, leakage, or rust. Do not expose the battery to open flames. 鋰離子電池在長時間存放時應充滿電量的 25% 至 75%。存放在陰涼、乾燥、通風良好的地方。溫度升高會導致電池性能下降、洩漏或生鏽。不要將電池暴露在明火中。

8. Exposure Controls / Personal Protection 接觸控制/個人防護

Appropriate Engineering Controls 適當的工程控制	Choose the suitable ventilation equipment; provide sufficient quantity of fire extinguishers, gas mask and water; equip with metal storage containers and bathing equipment 選擇合理的通風設備，提供足夠數量的防毒面具滅火器及水源，配置存放電池的金屬容器和洗浴設備
Respirator Protection 呼吸系統防護	Normally there is no need to do protection. Wear government approved respirator, if needed 正常情況下無必要作防護 若需要，請佩帶管理部門認可的面罩。
Eye/Face Protection 眼睛/面部防護	Normally there is no need to do protection Wear chemical safety glasses, if needed 正常情況下無必要作防護 若需要，請佩戴安全防護眼鏡
Skin Protection 皮膚防護	Hand protection: Wear safety gloves



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

	Foot Protection: Steel toed shoes recommended for large container handling Body protection: Wear appropriate protective clothing 手部防護, 請佩帶安全手套。 足部防護, 處理大量電池時建議穿著鋼頭鞋 身體防護: 穿戴一般作業防護服。
Other Protection 其他防護	No smoking, drinking and eating at working site, Wash thoroughly after handling 工作場所嚴禁吸菸、進食和飲水。工作後淋浴更衣

9. Physical and Chemical Properties 物理和化學特性

Physical Properties 物理特性	Physical state 物理狀態	Solid 固體
	Appearance 外觀	Black Plastics or Mylar film shell 黑色塑膠或聚酯薄膜外殼
	Color 顏色	Black 黑色
	Odor 氣味:	Odorless 無味
	Odor Threshold 嗅覺閾值	No information available 無資料
Chemical Properties 化學特性:		
Property 特性	Values 值	Remarks/ Method 備註
pH 酸鹼度	8~9	None known未知
Melting / freezing point 熔點和冰點	No data available無資料	None known未知
Boiling point / boiling range 沸點/沸程	No data available無資料	None known未知
Flash Point 閃點	No data available無資料	None known未知
Evaporation Rate 蒸發率	No data available無資料	None known未知
Flammability (solid, gas) 易燃性 (固體、氣體)	No data available無資料	None known未知
Flammability Limit in Air 空氣中的易燃性限制 Upper/ Lower flammability 上下燃點限制	No data available無資料	-
Vapor pressure 蒸氣壓力	No data available無資料	None known未知
Vapor density 蒸汽密度	No data available無資料	None known未知
Specific Gravity 比重	No data available無資料	None known未知



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

Water Solubility 水溶性	No data available無資料	None known未知
Solubility in other solvents 其他溶劑中的溶解度	No data available無資料	None known未知
Partition coefficient n-octanol/water: n-辛醇/水分配係數(對數值)	No data available無資料	None known未知
Autoignition temperature 自燃溫度	130°C	None known未知
Decomposition temperature 分解溫度	No data available無資料	None known未知
Kinematic viscosity 運動黏度	No data available無資料	None known未知
Dynamic viscosity 動態黏度	No data available無資料	None known未知
Explosive properties 爆炸特性	No data available無資料	None known未知
Oxidizing Properties 氧化特性	No data available無資料	None known未知

10. Stability and Reactivity 安定性與反應性

Reactivity 反應性	None during normal operating or handling conditions. 在正常操作或處理條件下,無不良反應。
Chemical stability 化學穩定性	Stable under recommended storage conditions. 在推薦的儲存條件下保持穩定。
Possibility of Hazardous Reactions 發生危險反應的可能性	None under normal processing 正常處理下, 無
Hazardous Polymerization 危險聚合	Hazardous polymerization does not occur. 不會發生危險的聚合反應。
Conditions to avoid 應避免的條件	None known based on information supplied. 根據提供的訊息, 未知
Incompatible materials 不相容物質	Strong acids. Strong oxidizing agents. Strong bases. 強酸。強氧化劑
Hazardous Decomposition Products危險分解產物	Carbon oxides. 碳氧化物。

11. Toxicological Information 毒性學信息

(a) Information on the likely routes of exposure 可能接觸的途徑

Product Information 產品資訊	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture 如有破裂, 根據已知或提供的資訊, 產品不存在急性毒性危害。
--------------------------	--

Inhalation 吸入	No effect under routine handling and use for sealed battery. If battery is broken, inhale fume/dust may cause irritation, chemical burns or lung edema. 密封電池在常規處理和使用下無影響。如果電池壞了，吸入煙霧/灰塵可能會引起刺激、化學灼傷或肺水腫。
Eye Contact 眼部接觸	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation. 沒有關於該物質或混合物的具體測試資料。成分可能是刺激物，刺激眼睛，可能會引起發紅、搔癢和疼痛可能會引起暫時性的眼睛刺激。
Skin Contact 皮膚接觸	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation. 沒有關於該物質或混合物的具體測試資料。成分可能是刺激物，長時間的接觸皮膚可能會引起發紅和刺激
Ingestion 食入	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. 沒有關於該物質或混合物的具體測試資料。食入可能會刺激粘膜，也可能引起胃腸道刺激、噁心、嘔吐和腹瀉。

(b) Information on toxicological characteristics 毒理學特徵信息

This product does not elicit toxicological properties during routine handling and use. If the cells are opened through misuse or damage, discard immediately. Internal components of cell are irritants and sensitizers. 本產品在日常處理和使用過程中不會產生毒理學特性。如果電池因誤用或損壞而打開，請立即丟棄。內部成分是刺激物和過敏原。

Acute Toxicity 急性毒性	No information available. 無資料
Skin corrosion/irritation 皮膚腐蝕/刺激	No information available. 無資料
Serious eye damage/irritation: 嚴重的眼睛損傷/刺激	No information available. 無資料
Respiratory sensitization 呼吸過敏	No information available. 無資料
skin sensitization 皮膚過敏	No information available. 無資料
Carcinogenicity 致癌性	No information available. 無資料
Germ Cell Mutagenicity 生殖細胞致突變性:	No information available. 無資料
Reproductive Toxicity 生殖毒性	No information available. 無資料

STOT-Single Exposure特定目標器官毒性-單次接觸	No information available. 無資料
STOT-Repeated Exposure特定目標器官毒性-重覆接觸	No information available. 無資料
Aspiration Hazard吸入危害	No information available. 無資料

12. Ecological Information 生態學信息

Ecotoxicity生態毒性	No information available. 無資料
Persistence and Degradability持久性和降解度	No information available. 無資料
Bioaccumulations Potential潛在的生物累積性	No information available. 無資料
Mobility in soil在土壤中的流動性	No information available. 無資料
Other adverse effects其他有害效應	No information available. 無資料

13. Disposal Consideration 廢棄處置

(a) Disposal methods 處置方法:

Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

根據聯邦法規(40CFR 261)，材料不是危險廢物，如果與危險廢物混合或以其他方式接觸，經過添加化學品，或加工改變，該材料可能成為危險廢物，請參考40 CFR 261，以確定已改變的材料是否為危險廢物。有關其他要求，請諮詢適當的州、地區或地方法規。

(b) Contaminated Packaging 受污染的包裝

Dispose of in accordance with federal, state and local regulations.

根據聯邦、州和地方法規進行處理

14. Transport Information 運輸信息

(a) Only Lithium Battery During: This report applies to by land, by air by sea.

產品為鋰離子電池單獨運輸：本報告適用於海運、空運和陸運。

Transport 運輸	The product has passed the test items of UN Model Regulations. Manual of Test and Criteria Section 38.3 and UN Model Regulations SP188, 1.2m drop test. The total net weight of the Lithium batteries is less than 10 kg 產品通過了聯合國示範條例的檢測項目。測試和標準手冊第38.3節和聯合國示範條例SP188，1.2m 跌落測試。鋰電池的總淨重小於10公斤
--------------	---



RID /ADR (2021 Edition) RID /ADR (2021版)	The product is not subject to RID/ADR according to special provision 188 According to 2.2.9.1.7 (g) of RID/ADR (2021 Edition), Manufacturers and subsequent distributors of cells or batteries manufactured shall make available the test summary as specified in the Manual of Tests and Criteria Part III. sub-section 38.3 paragraph 38.3.5 根據RID/ADR特殊規定188，運輸時不受本規則其他規定限制。根據RID/ADR(2021版)的2.2.9.1.7(g)，鋰電池或電池組的製造商和出廠後的銷售商應提供聯合國《試驗和標準手冊》第三部分第38.3小節第38.3.5段規定的UN38.3試驗概要
IATA DGR (64th Edition): IATA DGR (64版)	UN3480 Hazard Class 9 The product shall meet the General Requirements and section IB of Packaging Instruction 965 According to 3.9.2.6.1(g) of IATA DGR (64th Edition), Manufacturers and subsequent distributors of cells or batteries manufactured after 30 June 2003 shall make available the test summary as specified in the Manual of tests and Criteria Part III, sub-section 38.3 paragraph 38.3.5. Lithium-ion batteries according to thePI965 Section IB transport listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity. 本產品應滿足IATA DGR包裝說明 965的基本要求和第IB部分的規定。根據 IATA DGR (第64版) 的 3.9.2.6.1(g)，2003年6月30日之後生產的鋰電池或電池組的製造商和出廠後的銷售商應提供聯合國《試驗和標準手冊》。第三部分第38.3小節第38.3.5段規定的UN38.3試驗概要。 The International Civil Aviation Organization (ICAO) Technical Instructions Packing instruction 965 section IB (2023-2024 Edition) 國際民用航空組織 (ICAO) 技術說明包裝說明965部分IB (2023-2024版) Lithium-ion batteries according to thePI965 Section IB transport listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity. 根據本報告中列出的PI965第IB節運輸的鋰離子電池必須以不超過其額定容量30% 的充電狀態(SoC)進行運輸。



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

IMO IMDC CODE (2020 Edition) IMO IMDC CODE (2020版)	Special provision 188 of the 《International Maritime Dangerous Goods (IMDG) Code》 (Amendment 40-20 Edition) Distributors of cells or batteries manufactured shall make available the test summary as specified in the Manual of Tests and Criteria, Part III, sub-section 38.3 paragraph 38.3.5 《國際海上危險貨物(IMDG)規範》(修正案40-20版)第188條 鋰電池或電池組的製造商和出廠後的銷售商應提供聯合國《試驗和標準手冊》。第三部分第38.3小節第38.3.5段規定的UN38.3試驗概要
---	---

(b) Test results of the UN Recommendation on the Transport of Dangerous Goods
聯合國關於危險貨物運輸的建議的測試結果

Manual of Test and Criteria (38.3 Lithium battery) 測試和標準手冊 (38.3鋰電池)			
No 編號	Test item 項目	Test Results 測試結果	Remark備註
T1	Altitude Simulation高度模擬測試	Pass通過	
T2	Thermal Test加熱測試	Pass通過	
T3	Vibration振動測試	Pass通過	
T4	Shock衝擊測試	Pass通過	
T5	External Short Circuit外部短路測試	Pass通過	
T6	Impact/Crush擠壓測試	Pass通過	
T7	Overcharge過度充電測試	Pass通過	
T8	Forced Discharge強制放電測試	Pass通過	

(c) UN regulation 聯合國法規

UN3480	Batteries only, IATA Dangerous Goods Regulations, packing instruction 965 Section IB. 純電池包裝, 適用 IATA 危險貨物規則, 滿足包裝說明 965 的基本要求和第 IB 部分的規定。
UN3481	Lithium ion batteries packed with equipment, IATA Dangerous Goods Regulations, packing instruction 966 Section II 鋰離子電池和設備一起包裝, 適用 IATA 危險貨物規則, 滿足包裝說明 966 的基本要求和第二部分的規定。
UN3481	Lithium ion batteries contained in equipment, IATA Dangerous Goods Regulations, packing instruction 967 Section II. 鋰離子電池含於設備中, 適用IATA危險貨物規例, 滿足包裝說明967的基本要求和第二部分的規定。

15. Regulatory Information 法規信息

Dangerous Goods Regulations 《危險品規則》

IMO International Maritime Dangerous Goods Code relevant regulations 《國際海運危險貨物規則》

Refer to U. N., national, local regulations. 參照聯合國・國家・地方性法規。

16. Other Information 其他信息

(a) Preparation and revision information 編制和修訂信息

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation.

This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation

本安全數據表中包含的信息基於當前的知識狀況和現行法規。

本安全數據表提供有關產品健康、安全和環境方面的指導，不應解釋為對特定應用的技術性能或適用性的任何保證 本安全數據表中包含的信息基於當前的知識狀態和當前立法。

(b) Abbreviations and acronyms 縮略語和首字母縮寫

ACGIH	American Conference of Governmental Industrial Hygienists 美國政府工業衛生學家委員會
OSHA:	The United States Occupational Safety and Health Administration. 美國職業安全與健康管理局
GHS	Globally Harmonized System of Classification and Labelling of Chemicals 全球化學品統一分類和標籤制度
CAS	Chemical Abstracts Service美國化學文摘社
DOT	US Department Of Transportation美國交通部
RID	Regulation for rail International transportation 國際鐵路危險貨物運輸規則
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road 關於公路運輸危險貨物歐洲協定
IMO IMDC CODE	International Maritime Organization, International Maritime Dangerous Goods Code 國際海事組織,國際海運危險或貨物規則
ICAO	International Civil Aviation Organization國際民用航空組織
IATA	International Air Transport Association國際航空運輸協會
PI	Packaging Instruction 包裝說明
TSCA	Toxic Substances Control Act, The American chemical inventory.

	美國化學品有毒物質控制法，
IECSC	Inventory of existing chemical substances in China. 中國現有化學物質清單

(c) Disclaimer免責聲明

The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this SDS should make independent judgment for the applicability of this SDS under special conditions. In these special cases, we do not assume responsibility for the damage.

本SDS中的信息完整、真實地提供了所有相關數據。但是，提供的信息不保證其絕對的廣泛性和準確性。本SDS旨在為受過專業培訓的用戶提供安全預防措施。獲取本SDS的個人用戶應對本SDS在特殊情況下的適用性做出獨立判斷。在這些特殊情況下，我們不對損壞承擔責任

----- End of the SDS -----

17.Appendix 附录



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

Model Name	SMP PN	Note	HP PN	Description	HSTNN#
BY02021	G96QA027H/HB	MSDS_All Model (20230101)	738676-1C1	Coslight 2940mAh,1S2P 3.7V-21Wh	HSTNH-C12C-S
DN02037	G96QA033H/HB	MSDS_All Moldel (20230101)	780731-171	ATL 4995mAh, 1S2P 3.8V-37Wh	HSTNH-C412D-SS
DN02037	G96QA034H/HB	MSDS_All Moldel (20230101)	780731-1C1	Coslight 5150mAh, 1S2P 3.8V-37Wh	HSTNH-C412D-SS
HT03041XL	996QA158H/HB	MSDS_All Moldel (20230101)	L11421-1C4	Coslight 3720mAh, 3S1P 11.4V-41.04Wh	HSTNN-BB1A
MU06047	996Q2158H/HB	MSDS_All Moldel (20230101)	586007-122	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2161H/HB	MSDS_All Moldel (20230101)	586007-142	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2162H/HB	MSDS_All Moldel (20230101)	586007-152	Sanyo 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2163H/HB	MSDS_All Moldel (20230101)	586007-1A2	BAK 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2183H/HB	MSDS_All Moldel (20230101)	586007-1A3	BAK 2250mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2197H/HB	MSDS_All Moldel (20230101)	586007-153	Sanyo 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996Q2258H/HB	MSDS_All Moldel (20230101)	586007-143	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2019H/HB	MSDS_All Moldel (20230101)	586007-1A1	BAK 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2021H/HB	MSDS_All Moldel (20230101)	586007-121	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2022H/HB	MSDS_All Moldel (20230101)	586007-161	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2023H/HB	MSDS_All Moldel (20230101)	586007-141	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2087H/HB	MSDS_All Moldel (20230101)	586007-162	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06047	996T2102H	MSDS_All Moldel (20230101)	586007-151	Sanyo 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB0W
MU06055	996Q2157H/HB	MSDS_All Moldel (20230101)	586006-152	Sanyo 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996Q2164H/HB	MSDS_All Moldel (20230101)	586006-142	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996Q2165H/HB	MSDS_All Moldel (20230101)	586006-123	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996Q2217H/HB	MSDS_All Moldel (20230101)	586006-143	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MU06055	996T2024H/HB	MSDS_All Moldel (20230101)	586006-121	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996T2029H/HB	MSDS_All Moldel (20230101)	586006-141	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996T2054H/HB	MSDS_All Moldel (20230101)	586006-151	Sanyo 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06055	996T2135H/HB	MSDS_All Moldel (20230101)	586006-122	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB0X
MU06062	996Q2169H/HB	MSDS_All Moldel (20230101)	586028-142	SDI 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996Q2171H/HB	MSDS_All Moldel (20230101)	586028-123	LGC 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996Q2172H/HB	MSDS_All Moldel (20230101)	586028-152	Sanyo 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996T2026H/HB	MSDS_All Moldel (20230101)	586028-141	SDI 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996T2027H/HB	MSDS_All Moldel (20230101)	586028-121	LGC 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996T2073H/HB	MSDS_All Moldel (20230101)	586028-151	Sanyo 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
MU06062	996T2083H/HB	MSDS_All Moldel (20230101)	586028-122	LGC 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB0Y
PH06047	996Q2034H/HB	MSDS_All Moldel (20230101)	587706-121	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB1A
PH06047	996T2035H/HB	MSDS_All Moldel (20230101)	587706-131	PANA 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB1A
TD06051XL	996T2046H	MSDS_All Moldel (20230101)	586597-121	LGC 2550mAh, 3S2P 10.8V-51Wh	HSTNN-IB1C
TD06051XL	996T2048H	MSDS_All Moldel (20230101)	586597-141	SDI 2550mAh, 3S2P 10.8V-51Wh	HSTNN-IB1C
MU06055XL	996Q2166H/HB	MSDS_All Moldel (20230101)	592260-142	SDI 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU06055XL	996Q2167H/HB	MSDS_All Moldel (20230101)	592260-122	LGC 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU06055XL	996Q2168H/HB	MSDS_All Moldel (20230101)	592260-152	Sanyo 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU06055XL	996T2128H/HB	MSDS_All Moldel (20230101)	592260-141	SDI 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU06055XL	996T2129H/HB	MSDS_All Moldel (20230101)	592260-151	Sanyo 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU06055XL	996T2142H/HB	MSDS_All Moldel (20230101)	592260-121	LGC 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB1F
MU09083XL	996Q2175H/HB	MSDS_All Moldel (20230101)	593015-142	SDI 2800mAh, 3S3P 10.8V-83Wh	HSTNN-IB1G



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MU09083XL	996Q2176H/HB	MSDS_All Moldel (20230101)	593015-122	LGC 2800mAh, 3S3P 10.8V-83Wh	HSTNN-IB1G
MU09083XL	996T2125H/HB	MSDS_All Moldel (20230101)	593015-121	LGC 2800mAh, 3S3P 10.8V-83Wh	HSTNN-IB1G
MU09083XL	996T2131H/HB	MSDS_All Moldel (20230101)	593015-141	SDI 2800mAh, 3S3P 10.8V-83Wh	HSTNN-IB1G
RS06062	996TA004H/HB	MSDS_All Moldel (20230101)	600999-171	ATL 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB1S
VH08083	996Q2112H/HA	MSDS_All Moldel (20230101)	632113-141	SDI 2800mAh, 4S2P 14.8V-83Wh	HSTNN-IB2P
VH08083	996Q2114H	MSDS_All Moldel (20230101)	632113-151	Sanyo 2800mAh, 4S2P 14.8V-83Wh	HSTNN-IB2P
VH08075XL	996Q2113H/HA	MSDS_All Moldel (20230101)	632114-151	Sanyo 2800mAh, 4S2P 14.4V-75Wh	HSTNN-IB2Q
VH08075XL	996Q2115H/HA	MSDS_All Moldel (20230101)	632114-141	SDI 2800mAh, 4S2P 14.4V-75Wh	HSTNN-IB2Q
PR06047	996Q2198H/HB	MSDS_All Moldel (20230101)	633733-152	Sanyo 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB2R
PR06047	996Q2123H/HB	MSDS_All Moldel (20230101)	633733-141	SDI 2000mAh, 3S2P 10.8V-47Wh	HSTNN-IB2R
PR06047	996T2124H/HB	MSDS_All Moldel (20230101)	633733-142	Sanyo 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB2R
PR08073	996Q2126H/HB	MSDS_All Moldel (20230101)	633734-141	SDI 2600mAh, 4S2P 14.4V-73Wh	HSTNN-IB2S
PR08073	996Q2212H/HB	MSDS_All Moldel (20230101)	633734-152	Sanyo 2600mAh, 4S2P 14.4V-73Wh	HSTNN-IB2S
PR08073	996Q2218H/HB	MSDS_All Moldel (20230101)	633734-142	SDI 2550mAh, 4S2P 14.4V-73Wh	HSTNN-IB2S
PR08073	996T2127H/HB	MSDS_All Moldel (20230101)	633734-151	Sanyo 2550mAh, 4S2P 14.4V-73Wh	HSTNN-IB2S
PR09093	996Q2236H/HB	MSDS_All Moldel (20230101)	633735-121	LGC 2800mAh, 3S3P 11.1V-93Wh	HSTNN-IB2T
PR09093	996Q2237H/HB	MSDS_All Moldel (20230101)	633735-141	SDI 2800mAh, 3S3P 11.1V-93Wh	HSTNN-IB2T
JN04041	996T2118H/HB	MSDS_All Moldel (20230101)	633731-141	SDI 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB2U
JN04041	996T2119H/HB	MSDS_All Moldel (20230101)	633731-151	Sanyo 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB2U
JN06062	996T2121H/HB	MSDS_All Moldel (20230101)	633732-141	SDI 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB2V
JN06062	996T2122H/HB	MSDS_All Moldel (20230101)	633732-151	Sanyo 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB2V
MU09100	996Q2149H/HB	MSDS_All Moldel (20230101)	633216-151	Sanyo 3000mAh, 3S3P 11.1V-100Wh	HSTNN-IB2W
MU09100	996Q2151H/HB	MSDS_All Moldel (20230101)	633216-141	SDI 3000mAh, 3S3P 11.1V-100Wh	HSTNN-IB2W



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MT03028	996Q2186H/HB	MSDS_All Moldel (20230101)	646656-141	SDI 2600mAh, 3S1P 10.8V-28Wh	HSTNN-IB3A
MT03028	996Q2187H/HB	MSDS_All Moldel (20230101)	646656-121	LGC 2600mAh, 3S1P 10.8V-28Wh	HSTNN-IB3A
MT03028	996Q2214H/HB	MSDS_All Moldel (20230101)	646656-142	SDI 2550mAh, 3S1P 10.8V-28Wh	HSTNN-IB3A
MT06055	996Q2188H/HB	MSDS_All Moldel (20230101)	646657-141	SDI 2600mAh, 3S2P 10.8V-55Wh	HSTNN-IB3B
MT06055	996Q2189H/HB	MSDS_All Moldel (20230101)	646657-121	LGC 2600mAh, 3S2P 10.8V-55Wh	HSTNN-IB3B
MT06055	996Q2216H/HB	MSDS_All Moldel (20230101)	646657-142	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB3B
OT06044	996Q2184H/HB	MSDS_All Moldel (20230101)	436426-141	SDI 2000mAh, 3S2P 11.1V-44Wh	HSTNN-IB3D
OT06039XL	996Q2185H/HB	MSDS_All Moldel (20230101)	586596-141	SDI 2000mAh, 3S2P 10.8V-39Wh	HSTNN-IB3E
VT06086XL	996TA007H/HA	MSDS_All Moldel (20230101)	657240-151	Sanyo 4100mAh, 3S2P 10.8V-86Wh	HSTNN-IB3F
VT06091	996TA008H/HA	MSDS_All Moldel (20230101)	657240-171	ATL 4150mAh, 3S2P 10.8V-86Wh	HSTNN-IB3F
JN06055XL	996T2195H/HA	MSDS_All Moldel (20230101)	660003-141	SDI 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB3I
JN06055XL	996T2196H	MSDS_All Moldel (20230101)	660003-151	Sanyo 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB3I
SL04058XL	996QA009H/HB	MSDS_All Moldel (20230101)	665054-171	ATL 4150mAh, 4S1P 14.8V-58Wh	HSTNN-IB3J
SL04058XL	996QA011H/HB	MSDS_All Moldel (20230101)	665054-151	Sanyo 4100mAh, 4S1P 14.8V-58Wh	HSTNN-IB3J
MO06062	996Q2206H/HB	MSDS_All Moldel (20230101)	671567-121	LGC 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB3N
MO06062	996Q2205H/HB	MSDS_All Moldel (20230101)	671567-141	SDI 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB3N
MO06062	996Q2207H/HB	MSDS_All Moldel (20230101)	671567-151	Sanyo 2800mAh, 3S2P 11.1V-62Wh	HSTNN-IB3N
EL04052XL	996QA021H/HB	MSDS_All Moldel (20230101)	681879-171	ATL 3550mAh, 4S1P 14.8V-52Wh	HSTNN-IB3R
EL04052XL	996QA022H/HB	MSDS_All Moldel (20230101)	681879-1C1	Coslight 3550mAh, 4S1P 14.8V-52Wh	HSTNN-IB3R
EL04052XL	996TA043H/HB 996QA043H/HB	MSDS_All Moldel (20230101)	681879-121	LGC 3550mAh, 4S1P 14.8V-52Wh	HSTNN-IB3R
EG04060XL	996QA023H/HB	MSDS_All Moldel (20230101)	681881-171	ATL 4050mAh, 4S1P 14.8V-60Wh	HSTNN-IB3T
EG04060XL	996QA024H/HB	MSDS_All Moldel (20230101)	681881-1B1	Lishen 4050mAh, 4S1P 14.8V-60Wh	HSTNN-IB3T
EG04060XL	996TA044H/HB 996QA044H/HB	MSDS_All Moldel (20230101)	681881-121	LGC 4050mAh, 4S1P 14.8V-60Wh	HSTNN-IB3T
AT02025XL	996TA025H/HB 996QA025H/HB	MSDS_All Moldel (20230101)	685368-1C1	Coslight 3380mAh, 2S1P 7.4V-25Wh	HSTNN-IB3U
AT02025XL	996TA026H/HB 996QA026H/HB	MSDS_All Moldel (20230101)	685368-1B1	Lishen 3380mAh, 2S1P 7.4V-25Wh	HSTNN-IB3U



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

HD04045XL	996QA027H/HB	MSDS_All Moldel (20230101)	685866-171	ATL 3050mAh, 4S1P 14.8V-45Wh	HSTNN-IB3V
HD04045XL	996QA028H/HB	MSDS_All Moldel (20230101)	685866-1B1	Lishen 3050mAh, 4S1P 14.8V-45Wh	HSTNN-IB3V
AJ02021XL	G96QA001H/HB G96TA001H/HB	MSDS_All Moldel (20230101)	687518-1C1	Coslight-2960mAh,2S1P 7.4V-21Wh	HSTNN-IB3Y
AJ02021XL	G96QA002H/HB G96TA002H/HB	MSDS_All Moldel (20230101)	687518-1B1	Lishen-2960mAh,2S1P 7.4V-21Wh	HSTNN-IB3Y
BT04052XL	996QA029H/HB	MSDS_All Moldel (20230101)	687517-1C1	Coslight-3550mAh,4S1P 14.8V-52Wh	HSTNN-IB3Z
BT04052XL	996QA031H/HB	MSDS_All Moldel (20230101)	687517-171	ATL-3550mAh,4S1P 14.8V-52Wh	HSTNN-IB3Z
BT04052XL	996QA062H/HB	MSDS_All Moldel (20230101)	687517-121	LGC-3400mAh,4S1P 14.8V-52Wh	HSTNN-IB3Z
OS06046	996TA000F	MSDS_All Moldel (20230101)	436425-181	SKMEC 2200mAh, 3S2P 10.8V-46Wh	HSTNN-IB43
OS06046	996TA010F	MSDS_All Moldel (20230101)	436425-171	ATL 2100mAh, 3S2P 10.8V-46Wh	HSTNN-IB43
OS06046	996TA020F/FA	MSDS_All Moldel (20230101)	436425-172	ATL 2100mAh, 3S2P 10.8V-46Wh	HSTNN-IB43
OS06046	996TA020H	MSDS_All Moldel (20230101)	436425-173	ATL 2100mAh, 3S2P 10.8V-46Wh	HSTNN-IB43
DW02025XL	996TA036H/HB 996QA036H/HB	MSDS_All Moldel (20230101)	694398-1B1	Lishen 3380mAh, 1S2P 3.7V-25Wh	HSTNN-IB4B
DW02025XL	996TA038H/HB 996QA038H/HB	MSDS_All Moldel (20230101)	694398-1C1	Coslight 3380mAh, 1S2P 3.7V-25Wh	HSTNN-IB4B
DA02021XL	996TA042H/HB 996QA042H/HB	MSDS_All Moldel (20230101)	694399-1B1	Lishen 2960mAh, 2S1P 7.4V-21Wh	HSTNN-IB4C
DA02021XL	996TA040H/HB 996QA040H/HB	MSDS_All Moldel (20230101)	694399-1C1	Coslight 2960mAh, 2S1P 7.4V-21Wh	HSTNN-IB4C
OD06044XL	G96QA005H/HB	MSDS_All Moldel (20230101)	698750-1C1	Coslight 2000mAh,3S2P 11.1V-44Wh	HSTNN-IB4F
OD06044XL	G96QA006H/HB	MSDS_All Moldel (20230101)	698750-171	ATL-1910mAh,3S2P 11.1V-44Wh	HSTNN-IB4F
AR08075XL	996Q2231H/HB	MSDS_All Moldel (20230101)	707614-141	SDI-2800mAh,4S2P 14.4V-75Wh	HSTNN-IB4H
AR08075XL	996Q2239H/HB	MSDS_All Moldel (20230101)	707614-121	LGC 2800mAh,4S2P 14.4V-75Wh	HSTNN-IB4H
AR08083	996Q2243H/HB	MSDS_All Moldel (20230101)	707615-121	LGC 2800mAh,4S2P 14.8V-83Wh	HSTNN-IB4I
AR08083	996Q2232H/HB	MSDS_All Moldel (20230101)	707615-141	SDI-2800mAh,4S2P 14.8V-83Wh	HSTNN-IB4I
FP06047	996Q2229H/HB	MSDS_All Moldel (20230101)	707616-141	SDI-2200mAh,3S2P 10.8V-47Wh	HSTNN-IB4J
FP06047	996Q2234H/HB	MSDS_All Moldel (20230101)	707616-151	Sanyo-2200mAh,3S2P 10.8V-47Wh	HSTNN-IB4J
FP06047	996Q2256H/HB	MSDS_All Moldel (20230101)	707616-142	SDI 2200mAh,3S2P 10.8V-47Wh	HSTNN-IB4J
FP06047	996Q2275H/HB	MSDS_All Moldel (20230101)	707616-152	Sanyo 2200mAh,3S2P 10.8V-47Wh	HSTNN-IB4J



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

RA04044	996Q2227H/HB	MSDS_All Moldel (20230101)	707618-121	LGC 3000mAh, 4S1P 14.8V-44Wh	HSTNN-IB4L
RA04044	996Q2228H/HB	MSDS_All Moldel (20230101)	707618-141	LGC 3000mAh, 4S1P 14.8V-44Wh	HSTNN-IB4L
RA04044	996Q2307H/HB	MSDS_All Moldel (20230101)	707618-122	LGC 3015mAh,4S1P 14.6V-44Wh	HSTNN-IB4L
PX03050XL	996Q2244H/HB	MSDS_All Moldel (20230101)	714762-141	SDI 4450mAh, 3S1P 11.4V-50Wh	HSTNN-IB4P
PX03050XL	996QA045H/HB	MSDS_All Moldel (20230101)	714762-1C1	Coslight 4520mAh, 3S1P 11.1V-50Wh	HSTNN-IB4P
PX03050XL	996QA047H/HB	MSDS_All Moldel (20230101)	714762-171	ATL 4520mAh, 3S1P 11.1V-50Wh	HSTNN-IB4P
CM03050XL	996Q2245H/HB	MSDS_All Moldel (20230101)	716724-141	SDI 4450mAh, 3S1P 11.4V-50Wh	HSTNN-IB4R
CM03050XL	996QA048H/HB	MSDS_All Moldel (20230101)	716724-1C1	Coslight 4520mAh, 3S1P 11.1V-50Wh	HSTNN-IB4R
CM03050XL	996QA049H/HB	MSDS_All Moldel (20230101)	716724-171	ATL 4520mAh, 3S1P 11.1V-50Wh	HSTNN-IB4R
SB03026XL	996QA053H/HB	MSDS_All Moldel (20230101)	716725-171	ATL 2500mAh,3S1P 11.1V-26Wh	HSTNN-IB4S
SB03026XL	996QA052H/HB	MSDS_All Moldel (20230101)	716725-1C1	Coslight 2500mAh,3S1P 11.1V-26Wh	HSTNN-IB4S
SB03046XL	996QA051H/HB	MSDS_All Moldel (20230101)	716726-171	ATL 4150mAh,3S1P 11.1V-46Wh	HSTNN-IB4T
SB03046XL	996QA050H/HB	MSDS_All Moldel (20230101)	716726-1C1	Coslight 4150mAh,3S1P 11.1V-46Wh	HSTNN-IB4T
HY04041	996Q2246H/HB	MSDS_All Moldel (20230101)	717861-141	SDI 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB4U
HY04041	996Q2247H/HB	MSDS_All Moldel (20230101)	717861-121	LGC 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB4U
CA03033	996Q2253H/HB	MSDS_All Moldel (20230101)	718675-121	LGC 3000mAh,3S1P 11.1V-33Wh	HSTNN-IB4W
CA03033	996Q2252H/HB	MSDS_All Moldel (20230101)	718675-141	SDI 2950mAh,3S1P 11.1V-33Wh	HSTNN-IB4W
CA03033	996Q2299H/HB	MSDS_All Moldel (20230101)	718675-142	SDI 2950mAh,3S1P 11.1V-33Wh	HSTNN-IB4W
CA06055	996Q2254H/HB	MSDS_All Moldel (20230101)	718676-141	SDI 2600mAh,3S2P 10.8V-55Wh	HSTNN-IB4X
CA06055	996Q2251H/HB	MSDS_All Moldel (20230101)	718676-121	LGC 2600mAh, 3S2P 10.8V-55Wh	HSTNN-IB4X
CA06055XL	996Q2249H/HB	MSDS_All Moldel (20230101)	718677-141	SDI-2800mAh,3S2P 10.8V-55Wh	HSTNN-IB4Y
CA06055XL	996Q2248H/HB	MSDS_All Moldel (20230101)	718677-121	LGC 2800mAh, 3S2P 10.8V-55Wh	HSTNN-IB4Y
MA02025XL	G96QA007H/HB	MSDS_All Moldel (20230101)	721895-1C1	Coslight 3380mAh, 2S1P 7.4V-25Wh	HSTNN-IB5B
MA02025XL	G96QA008H/HB	MSDS_All Moldel (20230101)	721895-121	LGC 3380mAh, 2S1P 7.4V-25Wh	HSTNN-IB5B
MY02021XL	G96QA009H/HB	MSDS_All Moldel (20230101)	721896-1C1	Coslight 2960mAh, 2S1P 7.4V-21Wh	HSTNN-IB5C



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MY02021XL	G96QA010H/HB	MSDS_All Moldel (20230101)	721896-1B1	Lishen 2960mAh, 2S1P 7.4V-21Wh	HSTNN-IB5C
BL06042XL	996QA054H/HB	MSDS_All Moldel (20230101)	722236-171	ATL 1945mAh,3S2P 11.1V-42Wh	HSTNN-IB5D
BL06042XL	996QA055H/HB	MSDS_All Moldel (20230101)	722236-1C1	Coslight 1930mAh,3S2P 11.1V-42Wh	HSTNN-IB5D
TG03032XL	G96QA014H/HB	MSDS_All Moldel (20230101)	723921-1C1	Coslight 2960mAh, 3S1P 11.1V-32Wh	HSTNN-IB5F
TG03032XL	G96QA015H/HB	MSDS_All Moldel (20230101)	723921-1B1	Lishen 2960mAh, 3S1P 11.1V-32Wh	HSTNN-IB5F
TR03033XL	G96QA013H/HA	MSDS_All Moldel (20230101)	723922-1B1	Lishen 3050mAh, 3S1P 11.1V-33Wh	HSTNN-IB5G
TR03033XL	G96QA016H/HA	MSDS_All Moldel (20230101)	723922-171	ATL 3050mAh, 3S1P 11.1V-33Wh	HSTNN-IB5G
WO03033XL	G96QA017H/HA	MSDS_All Moldel (20230101)	725496-171	ATL 3050mAh, 3S1P 11.1V-33Wh	HSTNN-IB5I
WO03033XL	G96QA020H/HA	MSDS_All Moldel (20230101)	725496-1B1	Lishen 3050mAh, 3S1P 11.1V-33Wh	HSTNN-IB5I
WR03032XL	G96QA018H/HA	MSDS_All Moldel (20230101)	725497-1B1	Lishen 2960mAh, 3S1P 11.1V-32Wh	HSTNN-IB5J
WR03032XL	G96QA019H/HA	MSDS_All Moldel (20230101)	725497-1C1	Coslight 2960mAh, 3S1P 11.1V-32Wh	HSTNN-IB5J
LA04041	996Q2261H/HB	MSDS_All Moldel (20230101)	728248-121	LGC 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5M
LA04041	996Q2262H/HB	MSDS_All Moldel (20230101)	728248-141	SDI 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5M
LA04041DF	996T2273H/HA 996Q2273H/HB	MSDS_All Moldel (20230101)	751906-121	LGC 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5M
LA04041DF	996T2274H/HA 996Q2274H/HB	MSDS_All Moldel (20230101)	751906-141	SDI 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5M
AO02030XL	G96QA021H/HB G96TA021H/HB	MSDS_All Moldel (20230101)	728250-1C1	Coslight-4200mAh,2S1P 7.4V-31Wh	HSTNN-IB5O
AO02030XL	G96QA032H/HB G96TA032H/HB	MSDS_All Moldel (20230101)	728250-121	LGC-4200mAh,2S1P 7.4V-31Wh	HSTNN-IB5O
OA04041	996Q2265H/HB	MSDS_All Moldel (20230101)	740004-141	SDI 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5S
OA04041	996Q2266H/HB	MSDS_All Moldel (20230101)	740004-121	LGC 2800mAh, 4S1P 14.8V-41Wh	HSTNN-IB5S
MR03028	996Q2263H/HB	MSDS_All Moldel (20230101)	740005-141	SDI 2600mAh, 3S1P 10.8V-28Wh	HSTNN-IB5T
MR03028	996Q2264H/HB	MSDS_All Moldel (20230101)	740005-121	LGC 2600mAh, 3S1P 10.8V-28Wh	HSTNN-IB5T
TP02018XL	G96QA026H/HB	MSDS_All Moldel (20230101)	741348-171	ATL 2450mAh, 2S1P 7.4V-18Wh	HSTNN-IB5U
RA04040XL	996Q2324H/HB	MSDS_All Moldel (20230101)	745416-122	LGC-3000mAh,4S1P 14.6V-40Wh	HSTNN-IB5X
RA04040XL	996Q2269H/HB	MSDS_All Moldel (20230101)	745416-121	LGC 3000mAh, 4S1P 14.8V-40Wh	HSTNN-IB5X



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

OA03031	996Q2271H/HB	MSDS_All Moldel (20230101)	746458-141	SDI 2800mAh, 3S1P 11.1V-31Wh	HSTNN-IB5Y
OA03031	996Q2272H/HB	MSDS_All Moldel (20230101)	746458-121	LGC 2800mAh, 3S1P 11.1V-31Wh	HSTNN-IB5Y
TD06047	996T2088H	MSDS_All Moldel (20230101)	458640-164	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T3210F	MSDS_All Moldel (20230101)	458640-121	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T3700F	MSDS_All Moldel (20230101)	458640-161	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T3710F	MSDS_All Moldel (20230101)	458640-141	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4130F	MSDS_All Moldel (20230101)	458640-162	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4130H	MSDS_All Moldel (20230101)	458640-163	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4140F	MSDS_All Moldel (20230101)	458640-142	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4140H	MSDS_All Moldel (20230101)	458640-143	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4150F	MSDS_All Moldel (20230101)	458640-122	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06047	996T4150H	MSDS_All Moldel (20230101)	458640-123	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB68
TD06055	996Q2139H/HB	MSDS_All Moldel (20230101)	463310-125	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2009F	MSDS_All Moldel (20230101)	463310-143	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2009H	MSDS_All Moldel (20230101)	463310-144	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2011F	MSDS_All Moldel (20230101)	463310-133	PANA 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2011H	MSDS_All Moldel (20230101)	463310-134	PANA 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2012F	MSDS_All Moldel (20230101)	463310-123	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2012H	MSDS_All Moldel (20230101)	463310-124	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T2044H	MSDS_All Moldel (20230101)	463310-145	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T3230F	MSDS_All Moldel (20230101)	463310-161	Sony 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T3240F	MSDS_All Moldel (20230101)	463310-141	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T3250F	MSDS_All Moldel (20230101)	463310-121	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T3570F	MSDS_All Moldel (20230101)	463310-131	PANA 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T4100F	MSDS_All Moldel (20230101)	463310-142	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

TD06055	996T4110F	MSDS_All Moldel (20230101)	463310-132	PANA 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
TD06055	996T4120F	MSDS_All Moldel (20230101)	463310-122	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB69
BO03032XL	996QA066H/HB	MSDS_All Moldel (20230101)	751895-1B1	Lishen-2960mAh,3S1P 11.1V-32Wh	HSTNN-IB6C
BO03032XL	996QA067H/HB	MSDS_All Moldel (20230101)	751895-1C1	Coslight-2960mAh,3S1P 11.1V-32Wh	HSTNN-IB6C
KK04029XL	996QA068H/HB	MSDS_All Moldel (20230101)	753329-1C1	Coslight 1900mAh, 2S2P 7.4V-29Wh	HSTNN-IB6E
KK04029XL	996QA069H/HB	MSDS_All Moldel (20230101)	753329-171	ATL 1910mAh, 2S2P 7.4V-29Wh	HSTNN-IB6E
KT02025XL	996QA070H/HB	MSDS_All Moldel (20230101)	753330-1C1	Coslight-3380mAh,2S1P 7.4V-25Wh	HSTNN-IB6F
KT02025XL	996QA072H/HB	MSDS_All Moldel (20230101)	753330-1B1	Lishen-3380mAh,2S1P 7.4V-25Wh	HSTNN-IB6F
FP06051XL	996Q2276H/HB	MSDS_All Moldel (20230101)	757435-141	SDI 2600mAh,3S2P 10.8V-51Wh	HSTNN-IB6M
KP06066	996Q2278H/HB	MSDS_All Moldel (20230101)	759916-121	LGC 3000mAh, 3S2P 11.25V-5800mAh	HSTNN-IB6N
KP06060XL	996Q2282H/HB	MSDS_All Moldel (20230101)	794309-121	LGC-3000mAh,3S2P 11.1V-60Wh	HSTNN-IB6N
KP06066	996Q2311H/HB	MSDS_All Moldel (20230101)	759916-122	LGC-3000mAh,3S2P 10.95V-66Wh	HSTNN-IB6N
SM03050XL	996QA073H/HB	MSDS_All Moldel (20230101)	766802-1C1	Coslight 4300mAh, 3S1P 11.4V-50Wh	HSTNN-IB6O
SM03050XL	996QA074H/HB	MSDS_All Moldel (20230101)	766802-121	LGC 4300mAh, 3S1P 11.4V-50Wh	HSTNN-IB6O
BO03037XL	996QA077H/HB	MSDS_All Moldel (20230101)	773836-1B1	Lishen 3280mAh,3S1P 11.4V-37Wh	HSTNN-IB6P
BO03037XL	996QA078H/HB	MSDS_All Moldel (20230101)	773836-1C1	Coslight 3280mAh,3S1P 11.4V-37Wh	HSTNN-IB6P
BV02033XL	996QA079H/HB	MSDS_All Moldel (20230101)	775624-121	LGC 4380mAh,2S1P 7.6V-33Wh	HSTNN-IB6Q
BV02033XL	996QA080H/HB	MSDS_All Moldel (20230101)	775624-1C1	Coslight 4380mAh,2S1P 7.6V-33Wh	HSTNN-IB6Q
LA03031DF	996Q2279H/HB	MSDS_All Moldel (20230101)	775625-121	LGC 2800mAh,3S1P 11.1V-31Wh	HSTNN-IB6R
LA03031DF	996Q2281H/HB	MSDS_All Moldel (20230101)	775625-141	SDI 2800mAh,3S1P 11.1V-31Wh	HSTNN-IB6R
LA06047DF	996Q2284H/HB	MSDS_All Moldel (20230101)	796047-141	SDI-2200mAh,3S2P 10.8V-47Wh	HSTNN-IB6U
LA06047DF	996Q2283H/HB	MSDS_All Moldel (20230101)	796047-151	Sanyo-2200mAh,3S2P 10.8V-47Wh	HSTNN-IB6U
DB03036	996Q2286H/HB	MSDS_All Moldel (20230101)	796930-141	SDI-3200mAh,3S1P 11.25V-36Wh	HSTNN-IB6V
DB03036	996Q2288H/HB	MSDS_All Moldel (20230101)	796930-121	LGC-3200mAh,3S1P 11.25V-36Wh	HSTNN-IB6V
DB06064XL	996Q2287H/HB	MSDS_All Moldel (20230101)	796931-121	LGC 3200mAh,3S2P 11.1V-64Wh	HSTNN-IB6W



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

DB06064XL	996Q2285H/HB	MSDS_All Moldel (20230101)	796931-141	SDI 3200mAh,3S2P 11.1V-64Wh	HSTNN-IB6W
CS03046XL	996QA083H/HB	MSDS_All Moldel (20230101)	800231-1C1	Coslight-4075mAh,3S1P 11.4V-46.5Wh	HSTNN-IB6Y
CS03046XL	996QA084H/HB	MSDS_All Moldel (20230101)	800231-141	SDI-4075mAh,3S1P 11.4V-46.5Wh	HSTNN-IB6Y
BG06045XL	996QA085H/HB	MSDS_All Moldel (20230101)	804175-1C1	Coslight-2010mAh,3S2P 11.4V-45Wh	HSTNN-IB6Z
BG06045XL	996QA086H/HB	MSDS_All Moldel (20230101)	804175-1B1	Lishen-2010mAh,3S2P 11.4V-45Wh	HSTNN-IB6Z
EV06047	996Q4000F/FA	MSDS_All Moldel (20230101)	462890-142	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T3420F	MSDS_All Moldel (20230101)	462890-121	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T3560F	MSDS_All Moldel (20230101)	462890-1A1	BAK 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T3650F	MSDS_All Moldel (20230101)	462890-141	SDI 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T3660F	MSDS_All Moldel (20230101)	462890-161	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T3990F	MSDS_All Moldel (20230101)	462890-162	Sony 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T4010F	MSDS_All Moldel (20230101)	462890-122	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06047	996T4250F	MSDS_All Moldel (20230101)	462890-1A3	BAK 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB72
EV06055	996T2039F/FA	MSDS_All Moldel (20230101)	462889-143	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T2133F	MSDS_All Moldel (20230101)	462889-123	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T3430F	MSDS_All Moldel (20230101)	462889-161	Sony 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T3440F	MSDS_All Moldel (20230101)	462889-121	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T3450F	MSDS_All Moldel (20230101)	462889-141	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T3930F	MSDS_All Moldel (20230101)	462889-142	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
EV06055	996T3940F	MSDS_All Moldel (20230101)	462889-122	LGC 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB73
HS03031	996Q2308H/HB	MSDS_All Moldel (20230101)	807611-121	LGC-2800mAh,3S1P 11.1V-31Wh	HSTNN-IB7A
HS03031	996Q2296H/HB	MSDS_All Moldel (20230101)	807611-131	Sanyo 2800mAh,3S1P 11.1V-31Wh	HSTNN-IB7A
HS03031	996Q2298H/HB	MSDS_All Moldel (20230101)	807611-141	SDI 2800mAh,3S1P 11.1V-31Wh	HSTNN-IB7A
HS03031	996Q2314H/HB	MSDS_All Moldel (20230101)	807611-132	Sanyo 2800mAh, 3S1P 11.1V-31Wh	HSTNN-IB7A
HS04041	996Q2295H/HB	MSDS_All Moldel (20230101)	807612-131	Sanyo 2800mAh,4S1P 14.8V-41Wh	HSTNN-IB7B



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

HS04041	996Q2297H/HB	MSDS_All Moldel (20230101)	807612-141	SDI 2800mAh,4S1P 14.8V-41Wh	HSTNN-IB7B
HS04041	996Q2309H/HB	MSDS_All Moldel (20230101)	807612-121	LGC 2800mAh,4S1P 14.6V-41.6Wh	HSTNN-IB7B
ML03042XL	996QA089H/HB	MSDS_All Moldel (20230101)	813999-1C1	Coslight 3690mAh,3S1P 11.4V-42Wh	HSTNN-IB7D
VR03045XL	996QA091H/HB	MSDS_All Moldel (20230101)	816497-1C1	Coslight 3950mAh,3S1P 11.4V-45Wh	HSTNN-IB7E
VR03045XL	996QA107H/HB	MSDS_All Moldel (20230101)	816497-1C2	Coslight 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB7E
BU03037XL	996QA090H/HB	MSDS_All Moldel (20230101)	816498-1C1	Coslight-3280mAh,3S1P 11.4V-37.3Wh	HSTNN-IB7F
BU03037XL	996QA092H/HB	MSDS_All Moldel (20230101)	816498-1B1	Lishen 3280mAh,3S1P 11.4V-37.3Wh	HSTNN-IB7F
PO02037XL	996QA093H/HB	MSDS_All Moldel (20230101)	823908-1C1	Coslight 4960mAh,2S1P 7.6V-37Wh	HSTNN-IB7G
EO04038XL	996QA094H/HB	MSDS_All Moldel (20230101)	827927-1C1	Coslight 3110mAh,2S2P 7.7V-38Wh	HSTNN-IB7I
EO04038XL	996QA095H/HB	MSDS_All Moldel (20230101)	827927-1B1	Lishen 3110mAh,2S2P 7.7V-38Wh	HSTNN-IB7I
SO04038XL	996QA098H/HB	MSDS_All Moldel (20230101)	843534-121	LGC 4985mAh,2S2P 7.68V-38.2Wh	HSTNN-IB7J
SO04038XL	996QA099H/HB	MSDS_All Moldel (20230101)	843534-1C1	Coslight 4985mAh,2S2P 7.68V-38.2Wh	HSTNN-IB7J
SD03045XL	996QA100H/HB	MSDS_All Moldel (20230101)	847462-1C1	Coslight 3950mAh,3S1P 11.4V-45Wh	HSTNN-IB7K
TA03051XL	996QA101H/HB	MSDS_All Moldel (20230101)	854047-1C1	Coslight 4560mAh,3S1P 11.55V-51Wh	HSTNN-IB7L
TA03051XL	996QA102H/HB	MSDS_All Moldel (20230101)	854047-141	SDI 4560mAh,3S1P 11.55V-51Wh	HSTNN-IB7L
TA03051XL	996QA103H/HB	MSDS_All Moldel (20230101)	854047-171	ATL 4420mAh,3S1P 11.55V-51Wh	HSTNN-IB7L
DR02043XL	996QA105H/HA	MSDS_All Moldel (20230101)	859027-1C1	Coslight 5680mAh,2S1P 7.7V-43.7Wh	HSTNN-IB7M
DR02043XL	996QA106H/HA	MSDS_All Moldel (20230101)	859027-121	LGC 5680mAh,2S1P 7.7V-43.7Wh	HSTNN-IB7M
SW02032XL	G96QA037H/HB	MSDS_All Moldel (20230101)	859470-1B1	Lishen 4230mAh,2S1P 7.7V-32Wh	HSTNN-IB7N
SW02032XL	G96QA038H/HB	MSDS_All Moldel (20230101)	859470-121	LGC 4230mAh,2S1P 7.7V-32Wh	HSTNN-IB7N
OM03057XL	996QA108H/HB	MSDS_All Moldel (20230101)	863167-171	ATL-4935mAh, 3S1P 11.55V-57Wh	HSTNN-IB7O
OM03057XL	996QA109H/HB	MSDS_All Moldel (20230101)	863167-1B1	Lishen-4935mAh,3S1P 11.55V-57Wh	HSTNN-IB7O
SO04042XL	996QA112H/HB	MSDS_All Moldel (20230101)	908309-1C1	Coslight 5460mAh,2S2P 7.7V-42Wh	HSTNN-IB7R
ET04049XL	996QA119H/HB 996TA119H/HB	MSDS_All Moldel (20230101)	915030-1C1	Coslight 3310mAh,2S2P 7.7V-49.81Wh	HSTNN-IB7U
ET04049XL	996QA120H/HB 996TA120H/HB	MSDS_All Moldel (20230101)	915030-171	ATL 3310mAh,2S2P 7.7V-49.81Wh	HSTNN-IB7U



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

BE06067XL	996QA117H/HB 996TA117H/HB	MSDS_All Moldel (20230101)	918045-1C1	Coslight 5800mAh,3S2P 11.55V-67Wh	HSTNN-IB7V
BE06067XL	996QA118H/HB 996TA118H/HB	MSDS_All Moldel (20230101)	918045-171	ATL 5800mAh,3S2P 11.55V-67Wh	HSTNN-IB7V
AS03044XL	996QA115H/HB 996TA115H/HB	MSDS_All Moldel (20230101)	918340-1C1	Coslight 4050mAh,3S1P 11.1V-44.95Wh	HSTNN-IB7W
AS03044XL	996QA116H/HB 996TA116H/HB	MSDS_All Moldel (20230101)	918340-171	ATL 4050mAh,3S1P 11.1V-44.95Wh	HSTNN-IB7W
JC04041	996Q2319H/HB	MSDS_All Moldel (20230101)	919682-121	LGC 2800mAh,4S1P 14.6V-41.6Wh	HSTNN-IB7X
TF03041XL	996Q2323H/HB 996T2323H/HB	MSDS_All Moldel (20230101)	920046-121	LGC-3615mAh,3S1P 11.55V-41.7Wh	HSTNN-IB7Y
SR04070XL	996QA121H/HB	MSDS_All Moldel (20230101)	917678-171	ATL-4550mAh, 4S1P 15.4V-70.07Wh	HSTNN-IB7Z
SR04070XL	996QA122H/HB	MSDS_All Moldel (20230101)	917678-1B1	Lishen-4550mAh; 4S1P 15.4V-70.07Wh	HSTNN-IB7Z
SR04070XL	996QA160H/HB	MSDS_All Moldel (20230101)	917678-172	ATL 4550mAh, 4S1P 15.4V-70.07Wh	HSTNN-IB7Z
SR04070XL	996QA161H/HB	MSDS_All Moldel (20230101)	917678-1B2	Lishen 4550mAh, 4S1P 15.4V-70.07Wh	HSTNN-IB7Z
JC04041	996Q2321H/HB	MSDS_All Moldel (20230101)	919682-141	SDI 2800mAh,4S1P 14.8V-41.44Wh	HSTNN-IB8A
JC04041	996Q2322H/HB	MSDS_All Moldel (20230101)	919682-131	Sanyo 2800mAh,4S1P 14.8V-41.44Wh	HSTNN-IB8A
CD03048XL	996QA123H/HB	MSDS_All Moldel (20230101)	931702-171	ATL 4440mAh, 3S1P 11.4V-48Wh	HSTNN-IB8B
CD03048XL	996QA148H/HB	MSDS_All Moldel (20230101)	931702-1C1	CosMX 4212mAh, 3S1P 11.4V-48Wh	HSTNN-IB8B
SS03050XL	996QA124H/HB	MSDS_All Moldel (20230101)	932823-171	ATL 4330mAh,3S1P 11.55V-50Wh	HSTNN-IB8C
SS03050XL	996QA125H/HB	MSDS_All Moldel (20230101)	932823-1C1	Coslight 4330mAh,3S1P 11.55V-50Wh	HSTNN-IB8C
ME04050XL	G96QA039H/HB	MSDS_All Moldel (20230101)	937519-171	ATL 6500mAh,2S2P 7.7V-50.04Wh	HSTNN-IB8D
ME04050XL	G96QA040H/HB	MSDS_All Moldel (20230101)	937519-1C1	Costlight 6500mAh,2S2P 7.7V-50.04Wh	HSTNN-IB8D
CH04048XL	996QA126H/HB	MSDS_All Moldel (20230101)	941190-1C1	Coslight-6300mAh;2S2P 7.7V-48.5Wh	HSTNN-IB8E
VX04090XL	996QA127H/HB	MSDS_All Moldel (20230101)	L06302-1C1	Coslight-5990mAh,4S1P 15.4V-90Wh	HSTNN-IB8F
AM06095XL	996QA128H/HB	MSDS_All Moldel (20230101)	L07350-1C1	Coslight-4240mAh,3S2P 11.55V-95.9Wh	HSTNN-IB8G
ZG06095XL	996QA130H/HB	MSDS_All Moldel (20230101)	L07351-1C1	Coslight-4240mAh,3S2P 11.55V-95.9Wh	HSTNN-IB8H
ZG04064XL	996QA129H/HB	MSDS_All Moldel (20230101)	L07352-1C1	Coslight-4240mAh, 4S1P 15.4V-64.Wh	HSTNN-IB8I
GZ06054XL	996QA132H/HB	MSDS_All Moldel (20230101)	L08543-1C1	Coslight-3310mAh,2S3P 7.7V-54.28Wh	HSTNN-IB8J
GZ06054XL	996QA173H/HB	MSDS_All Moldel (20230101)	L08543-1C2	Coslight 3310mAh,2S3P 7.7V-54.28Wh	HSTNN-IB8J



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

KC04053XL	996QA153H/HB	MSDS_All Moldel (20230101)	L08544-1C2	Coslight 3454mAh, 4S1P 15.4V-53.2Wh	HSTNN-IB8K
KC04053XL	996QA131H/HB	MSDS_All Moldel (20230101)	L08544-1C1	Coslight-3540mAh,4S1P 15.4V-53.2Wh	HSTNN-IB8K
SR03052XL	996QA159H/HB	MSDS_All Moldel (20230101)	L08934-1B2	Lishen 4550mAh, 3S1P 11.55V-52.5Wh	HSTNN-IB8L
SR03052XL	996QA133H/HB	MSDS_All Moldel (20230101)	L08934-1B1	Lishen- 4550mAh,3S1P 11.55V-52.5Wh	HSTNN-IB8L
LK03052XL	996QA134H/HB	MSDS_All Moldel (20230101)	L09049-1B1	Lishen-4550mAh,3S1P 11.55V-52.5Wh	HSTNN-IB8M
LK03052XL	996QA157H/HB	MSDS_All Moldel (20230101)	L09049-1B2	Lishen 4550mAh, 3S1P 11.55V-52.5Wh	HSTNN-IB8M
LK03048XL	996Q2325H/HB	MSDS_All Moldel (20230101)	L09911-141	SDI-4212mAh,3S1P 11.4V-48.01Wh	HSTNN-IB8N
HT03041XL	996QA135H/HB	MSDS_All Moldel (20230101)	L11421-1C1	Coslight-3600mAh,3S1P 11.4V-41.04Wh	HSTNN-IB8O
RU03048XL	996QA137H/HB	MSDS_All Moldel (20230101)	L12717-1C1	Coslight 4550mAh, 3S1P 11.4V-48Wh	HSTNN-IB8P
RU03048XL	996QA138H/HB	MSDS_All Moldel (20230101)	L12717-171	ATL 4550mAh, 3S1P 11.4V-48Wh	HSTNN-IB8P
MM02037XL	996QA170H/HB	MSDS_All Moldel (20230101)	L27868-1C2	Coslight-4960mAh,2S1P 7.6V-37.6Wh	HSTNN-IB8Q
MM02037XL	996QA139H/HB	MSDS_All Moldel (20230101)	L27868-1C1	Coslight 4960mAh, 2S1P 7.6V-37.6Wh	HSTNN-IB8Q
SP04061XL	996QA140H/HB	MSDS_All Moldel (20230101)	L28538-1C1	Coslight 3990mAh, 4S1P 15.4V-61.4Wh	HSTNN-IB8R
SP04061XL	996QA162H/HB	MSDS_All Moldel (20230101)	L28538-1C2	Coslight 3990mAh, 4S1P 15.4V-61.4Wh	HSTNN-IB8R
LG04068XL	996QA164H/HB	MSDS_All Moldel (20230101)	L32535-142	SDI 4416mAh,4S1P 15.4V-68Wh	HSTNN-IB8S
LG04068XL	996QA163H/HB	MSDS_All Moldel (20230101)	L32535-1C2	Coslight 4416mAh,4S1P 15.4V-68Wh	HSTNN-IB8S
LG04068XL	996QA142H/HB	MSDS_All Moldel (20230101)	L32535-1C1	Coslight 4416mAh, 4S1P 15.4V-68Wh	HSTNN-IB8S
LG04068XL	996QA143H/HB	MSDS_All Moldel (20230101)	L32535-141	SDI 4416mAh, 4S1P 15.4V-68Wh	HSTNN-IB8S
CR03049XL	996QA146H/HB	MSDS_All Moldel (20230101)	924844-1C1	Coslight 4243mAh, 3S1P 11.55V-49Wh	HSTNN-IB8T
OR04053XL	996QA144H/HB	MSDS_All Moldel (20230101)	L34209-1C1	Coslight-7080mAh,2S2P 7.7V-53.2Wh	HSTNN-IB8U
OR04053XL	996QA145H/HB	MSDS_All Moldel (20230101)	L34209-1B1	Lishen-7080mAh,2S2P 7.7V-53.2Wh	HSTNN-IB8U
LK03048XL	996QA147H/HB	MSDS_All Moldel (20230101)	L09911-1B1	Lishen 4212mAh, 3S1P 11.4V-48.01Wh	HSTNN-IB8V
GB02047XL	996QA149H/HB	MSDS_All Moldel (20230101)	L42550-1C1	Coslight 6150mAh, 2S1P 7.7V-47.3Wh	HSTNN-IB8W
GB02047XL	996QA150H/HB	MSDS_All Moldel (20230101)	L42550-171	ATL 6150mAh, 2S1P 7.7V-47.3Wh	HSTNN-IB8W
HT03041XL	996QA169H/HB	MSDS_All Moldel (20230101)	L11421-1C5	Coslight 3720mAh, 3S1P 11.34V-41.04Wh	HSTNN-IB8X
HT03041XL	996QA151H/HB	MSDS_All Moldel (20230101)	L11421-1C3	Coslight 3720mAh, 3S1P 11.34V-41.04Wh	HSTNN-IB8X



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

HT03041XL	996QA152H/HB	MSDS_All Moldel (20230101)	L11421-1C2	Coslight 3720mAh, 3S1P 11.4V-41.04Wh	HSTNN-IB8O
HT03041XL	996QA188H/HB	MSDS_All Moldel (20230101)	L11421-1C6	Cosmx 3720mAh, 4S1P 11.34V-41.04Wh	HSTNN-IB8X
HT03041XL	996QA187H/HB	MSDS_All Moldel (20230101)	L11421-1C7	Cosmx 3720mAh, 4S1P 11.34V-41.04Wh	HSTNN-IB8X
EP04056XL	996QA155H/HB	MSDS_All Moldel (20230101)	L52448-1C1	Coslight 3750mAh, 2S2P 7.7V-56Wh	HSTNN-IB8Y
BI03041XL	996QA156H/HB	MSDS_All Moldel (20230101)	843537-1C1	Coslight 3720mAh, 3S1P 11.34V-41Wh	HSTNN-IB8Z
RT06047	996T4450F	MSDS_All Moldel (20230101)	516479-131	PANA 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB93
RT06047	996T4480F	MSDS_All Moldel (20230101)	516479-121	LGC 2200mAh, 3S2P 10.8V-47Wh	HSTNN-IB93
RT06055	996T2043F	MSDS_All Moldel (20230101)	513127-142	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB94
RT06055	996T3870F	MSDS_All Moldel (20230101)	513127-141	SDI 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB94
RT06055	996T3880F	MSDS_All Moldel (20230101)	513127-131	PANA 2550mAh, 3S2P 10.8V-55Wh	HSTNN-IB94
RT09083	996T2137F	MSDS_All Moldel (20230101)	516480-122	LGC 2550mAh, 3S3P 10.8V-83Wh	HSTNN-IB95
RT09083	996T4460F	MSDS_All Moldel (20230101)	516480-121	LGC 2550mAh, 3S3P 10.8V-83Wh	HSTNN-IB95
RT09083	996T4470F	MSDS_All Moldel (20230101)	516480-141	SDI 2550mAh, 3S3P 10.8V-83Wh	HSTNN-IB95
BD04041	996TA030F/FB	MSDS_All Moldel (20230101)	519249-171	ATL 2800mAh,4S1P 14.8V-41Wh	HSTNN-IB99
BN06072XL	996QA165H/HB	MSDS_All Moldel (20230101)	L68235-1C1	Coslight 3160mAh, 3S2P 11.55V-72.9Wh	HSTNN-IB9A
UG04046XL	996QA166H/HB	MSDS_All Moldel (20230101)	L71493-1C1	Cosmx 2988mAh, 4S1P 15.4V-46Wh	HSTNN-IB9B
GH02047XL	996QA167H/HB	MSDS_All Moldel (20230101)	L75253-1C1	Coslight 6150mAh, 2S1P 7.7V-47.3Wh	HSTNN-IB9C
GH02047XL	996QA168H/HB	MSDS_All Moldel (20230101)	L75253-1D1	Highpower 6150mAh, 2S1P 7.7V-47.3Wh	HSTNN-IB9C
MB06083XL	996QA175H/HB	MSDS_All Moldel (20230101)	L77973-1C1	Cosmx 3590mAh,3S2P 11.58V-83Wh	HSTNN-IB9E
CC03053XL	996QA172H/HB	MSDS_All Moldel (20230101)	L77608-1C1	Coslight 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9F
CC03053XL	996QA174H/HB	MSDS_All Moldel (20230101)	L77608-1B1	Lishen 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9F
CX03053XL	996QA171H/HB	MSDS_All Moldel (20230101)	L77624-1C1	Coslight 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9G
HK04054XL	996QA177H/HB	MSDS_All Moldel (20230101)	L79376-1B1	Lishen 3540mAh, 2S2P 7.7V-54Wh	HSTNN-IB9H
SX03045XL	996QA178H/HB	MSDS_All Moldel (20230101)	L77689-172	ATL 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB9I
SX03045XL	996QA176H/HB	MSDS_All Moldel (20230101)	L77689-171	ATL 3950mAh, 3S1P 11.55V-45Wh	HSTNN-IB9D



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

HK04078XL	996QA179H/HB	MSDS_All Moldel (20230101)	L83796-171	ATL 5090mAh, 2S2P 7.72V-78Wh	HSTNN-IB9J
BC03060XL	996QA182H/HB	MSDS_All Moldel (20230101)	L84182-1C1	Cosmx 5140mAh, 3S1P 11.55V-60Wh	HSTNN-IB9K
SD03052XL	996QA180H/HB	MSDS_All Moldel (20230101)	L84357-171	ATL 4550mAh, 3S1P 11.55V-52Wh	HSTNN-IB9L
KL06083XL	996QA183H/HB	MSDS_All Moldel (20230101)	L85853-1C1	Cosmx 3590mAh, 3S2P 11.58V-83Wh	HSTNN-IB9M
AL08094XL	996QA184H/HB	MSDS_All Moldel (20230101)	L86155-1C1	Cosmx 3055mAh, 4S2P 15.44V-94Wh	HSTNN-IB9N
HW03041XL	996QA186H/HB	MSDS_All Moldel (20230101)	L96887-1D1	Highpower 3600mAh, 3S1P 11.34V-41.04Wh	HSTNN-IB9O
RH03045XL	996QA189H/HB	MSDS_All Moldel (20230101)	M01524-171	ATL 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB9P
RH03045XL	996QA191H/HB	MSDS_All Moldel (20230101)	M01524-1D1	Highpower 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB9Q
SC04063XL	996QA192H/HB	MSDS_All Moldel (20230101)	M08254-1C1	Cosmx 4040mAh, 4S1P 15.4V-63Wh	HSTNN-IB9R
SI03058XL	996QA193H/HB	MSDS_All Moldel (20230101)	M12329-1D1	Highpower 4960mAh, 3S1P 11.55V-58.84Wh	HSTNN-IB9S
TI04055XL	996QA194H/HB	MSDS_All Moldel (20230101)	M24420-1D1	Highpower 3500mAh, 4S1P 15.12V-55.67Wh	HSTNN-IB9T
TI04055XL	996QA195H/HB	MSDS_All Moldel (20230101)	M24420-1C1	Cosmx 3500mAh, 4S1P 15.12V-55.67Wh	HSTNN-IB9T
WK04070XL	996QA198H/HB	MSDS_All Moldel (20230101)	M38822-1D1	Highpower 4440mAh, 4S1P 15.4V-70.07Wh	HSTNN-IB9V
WK04070XL	996QA199H/HB	MSDS_All Moldel (20230101)	M38822-171	ATL 4440mAh, 4S1P 15.4V-70.07Wh	HSTNN-IB9V
DS02032XL	996QA197H/HB	MSDS_All Moldel (20230101)	M37888-1C1	Cosmx 4180mAh, 2S1P 7.7V-32.18Wh	HSTNN-IB9U
RH03045XL	996QA207H/HB	MSDS_All Moldel (20230101)	M01524-1D2	Highpower 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB9Q
RH03045XL	996QA208H/HB	MSDS_All Moldel (20230101)	M01524-172	ATL 3950mAh, 3S1P 11.4V-45Wh	HSTNN-IB9P
MB06083XL	996QA200H/HB	MSDS_All Moldel (20230101)	L77973-1C2	Cosmx 3590mAh, 3S2P 11.58V-83Wh	HSTNN-IB9E
HK04054XL	996QA201H/HB	MSDS_All Moldel (20230101)	L79376-1B2	Lishen 3540mAh, 2S2P 7.7V-54Wh	HSTNN-IB9H
AL08094XL	996QA202H/HB	MSDS_All Moldel (20230101)	L86155-1C2	Cosmx 3055mAh, 4S2P 15.44V-94Wh	HSTNN-IB9N
CC03053XL	996QA203H/HB	MSDS_All Moldel (20230101)	L77608-1C2	Cosmx 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9F
CC03053XL	996QA204H/HB	MSDS_All Moldel (20230101)	L77608-1B2	Lishen 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9F
CX03053XL	996QA205H/HB	MSDS_All Moldel (20230101)	L77624-1C2	Cosmx 4590mAh, 3S1P 11.55V-53Wh	HSTNN-IB9G
HK04078XL	996QA206H/HB	MSDS_All Moldel (20230101)	L83796-172	ATL 5090mAh, 2S2P 7.72V-78.5Wh	HSTNN-IB9J
CC03056XL	996QA215H/HB	MSDS_All Moldel (20230101)	L77622-171	ATL 4850mAh, 3S1P 11.55V-56Wh	HSTNN-IB9W
RH03051XL	996QA216H/HB	MSDS_All Moldel (20230101)	M64307-171	ATL 4680mAh, 3S1P 11.58V-51.3Wh	TPN-IB0A



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

WP03038XL	996QA217H/HB	MSDS_All Moldel (20230101)	M64305-171	ATL 3525mAh, 3S1P 11.58V-38Wh	TPN-IB0B
WP03051XL	996QA218H/HB	MSDS_All Moldel (20230101)	M64304-171	ATL 4680mAh, 3S1P 11.58V-51.3Wh	HSTNN-IB9X
WP03051XL	996QA219H/HB	MSDS_All Moldel (20230101)	M64304-1D1	Highpower 4680mAh, 3S1P 11.58V-51.3Wh	HSTNN-IB9Y
WP06076XL	996QA220H/HB	MSDS_All Moldel (20230101)	M64306-171	ATL 3525mAh, 3S2P 11.58V-76Wh	HSTNN-IB9Z
WP06076XL	996QA221H/HB	MSDS_All Moldel (20230101)	M64306-1C1	Cosmx 3525mAh, 3S2P 11.58V-76Wh	HSTNN-IB9Z
DM02032XL	996QA222H/HB	MSDS_All Moldel (20230101)	M74961-1D1	Highpower 4180mAh, 2S1P 7.7V-32.18Wh	TPN-IB0C
CC03050XL	996QA223H/HB	MSDS_All Moldel (20230101)	M75015-1B1	Lishen 4590mAh, 3S1P 11.55V-50.35Wh	TPN-IB0I
SX03042XL_ NCM	996QA225H/HB	MSDS_All Moldel (20230101)	M75016-171	ATL 3950mAh, 3S1P 11.4V-42.75Wh	TPN-IB0J
RH03042XL	996QA226H/HB	MSDS_All Moldel (20230101)	M75017-1D1	Highpower 3950mAh, 3S1P 11.4V-42.75Wh	TPN-IB0K
RH03042XL	996QA227H/HB	MSDS_All Moldel (20230101)	M75017-171	ATL 3950mAh, 3S1P 11.4V-42.75Wh	TPN-IB0L
CC03050XL	996QA234H/HB	MSDS_All Moldel (20230101)	M75015-1C1	Cosmx 4590mAh, 3S1P 11.55V-50.35Wh	TPN-IB0I
MN06086XL	996QA235H/HB	MSDS_All Moldel (20230101)	M82220-1C1	Cosmx 3715mAh, 3S2P 11.58V-86Wh	TPN-IB0M
VE06055	996-3180F 996T3180F	MSDS_All Moldel (20230101)	441243-141	SDI 2600mAh;3S2P 10.8V-55Wh	HSTNN-IB46
VS08095XL	996QA236H/HB	MSDS_All Moldel (20230101)	M85951-171	ATL 3080mAh, 4S2P 15.44V-95Wh	TPN-IB0N
WF04066XL	996QA237H/HB	MSDS_All Moldel (20230101)	M89926-1D1	Highpower 4320mAh, 2S2P 7.7V-66.52Wh	TPN-IB0O
RH03042XL	996QA238H/HB	MSDS_All Moldel (20230101)	M75017-172	ATL 3950mAh, 3S1P 11.4V-42.75Wh	TPN-IB0P
GH02044XL	996QA242H/HB	MSDS_All Moldel (20230101)	N19692-1D1	Highpower 6150mAh, 2S1P 7.7V-44.04Wh	TPN-IB0Q
AE03041XL	996QA240H/HB	MSDS_All Moldel (20230101)	N20951-1B1	Lishen 3750mAh, 3S1P 11.25V-41.04Wh	TPN-IB0S
AE03041XL	996QA241H/HB	MSDS_All Moldel (20230101)	N20951-171	ATL 3750mAh, 3S1P 11.25V-41.04Wh	TPN-IB0R
SA04055XL	996QA239H/HB	MSDS_All Moldel (20230101)	L43248-171	ATL 3750mAh, 4S1P 15V-55.67Wh	TPN-IB0U
WQ03038XL	996QA243H/HB	MSDS_All Moldel (20230101)	N22285-171	ATL 3535mAh, 3S1P 11.55V-38Wh	TPN-IB0T
QK06097XL	996QA244H/HB	MSDS_All Moldel (20230101)	N28647-1C1	Cosmx 4240mAh, 3S2P 11.55V-97.04Wh	TPN-IB0V
QK06097XL	996QA245H/HB	MSDS_All Moldel (20230101)	N28647-1E1	BYD 4240mAh, 3S2P 11.55V-97.04Wh	TPN-IB0V
SI03054XL	996QA246H/HB	MSDS_All Moldel (20230101)	N31891-1D1	Highpower 5095mAh, 3S1P 11.55V-54.72Wh	TPN-IB0U
WE03051XL	996QA247H/HB	MSDS_All Moldel (20230101)	N42388-1D1	Highpower 4185mAh, 3S1P 11.58V-51Wh	TPN-IB0X
WE03051XL	996QA248H/HB	MSDS_All Moldel (20230101)	N42388-1E1	BYD 4185mAh, 3S1P 11.58V-51Wh	TPN-IB0X



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.