

## Safety Data Sheet

### Rechargeable lithium battery pack (1634753)

(battery pack with lithium ion cells)

according to 1907/2006/EC Article 31

Version 1.0

Date 3-26-2024

Page 1 of 6

## INTRODUCTORY STATEMENTS

### EU

These batteries are neither "substances" nor "preparations" in the sense of REACH Regulation (EC) 1907/2006, but are instead to be regarded as "products". The intentional release of substances during use is not foreseen. Consequently, there is no obligation to provide a safety data sheet conforming to Article 31 of the REACH Regulation.

### USA

Preparation of safety data sheets (SDS) is a subrequirement of the Hazard Communication Standard 29 CFR, Section 1910.1200, of the Occupational Safety and Health Administration (OSHA). This standard does not apply to "articles". The OSHA standard defines an "article" as a manufactured item other than a fluid or particle:

1. which is formed to a specific shape or design during manufacture;
2. which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
3. which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

As all of our batteries are classified as "articles", they are exempted from the requirements of the Hazard Communication Standard.

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier:** Rechargeable lithium battery pack (1634753)

Battery-System: Lithium-ion (Li-ion)

Nominal Voltage: 25.9 V

Rated Capacity: 2.5 Ah

Wh rating: 64.75 Wh

1.2 **Relevant identified use of the substance or mixture and uses advised against**

Product category AC3 – Electrical batteries and accumulators

1.3 **Details of the supplier of the safety data sheet**

BISSELL International Trading Company BV

Postbus 12874, 1100 AW Amsterdam Zuidoost, The Netherlands

EU Tel: 31-20-305-1340; UK Tel: 0344-888-6644

www.BISSELL.com, SDS@BISSELL.com

1.4 **Emergency telephone number**

24-hour service

Chemtrec International: +1 703-527-3887

Chemtrec United States only: 1-800-424-9300 acct 2808

## 2. HAZARDS IDENTIFICATION

2.1 **Classification of the substance or mixture**

Cells in lithium ion batteries are hermetically sealed and are harmless when used in compliance with the manufacturer's instructions for use and handling.

These devices are classified as products in accordance with REACH Article 3 (3) and are therefore not subject to the labelling requirements of hazardous substance legislation.

According to the CLP Regulation the product(s) is/are not classified as hazardous to health or the environment.

2.2 **Label elements**

According to EC Regulation No. 1272/2008, labelling of the product is not obligatory.

Hazard pictogram Not required

Signal word Not required

Hazard statements Not required

2.3 **Other hazards**

A pressure release vent opens in the event of improper use of the battery pack in combination with electrical load, fire or mechanical impact. If the product is damaged, the battery housing can rupture and allow the ingredients to be released.

Corrosive vapours can be released in the event of fire.

## Safety Data Sheet

### Rechargeable lithium battery pack (1634753)

(battery pack with lithium ion cells)

according to 1907/2006/EC Article 31

Version 1.0

Date 3-26-2024

Page 2 of 6

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substances Not applicable

### 3.2 Mixtures

Chemical composition	CAS No.		in % by weight
Aluminum Foil	7429-90-5	5 231-072-3	2-10%
Metal Oxide (proprietary)	NA		20-50%
Polyvinylidene Fluoride (PVDF)	24937-79-9	607-458-6	<5%
Copper Foil	7440-50-8		2-10%
Carbon (proprietary)	7440-44-0	231-153-3	10-30%
Electrolyte (proprietary)	NA		10-20%
Stainless steel	n/a	n/a	Remainder

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

The lithium ion batteries contain an organic electrolyte. The following measures must be taken if the electrolyte has emerged and come in contact the skin and/or eyes:

#### Skin or eye contact with emerging substances (electrolyte)

In case of skin or eye contact, rinse the affected areas thoroughly with water for at least 15 minutes. In case of eye contact, always contact a doctor in addition to thorough rinsing.

#### Burns

Suitable treatment is necessary in the event of burns. It is strongly recommended to contact a doctor.

#### Respiratory tract

In case of intense smoke formation or release of gas, leave the room immediately. In case of relatively large amounts and irritation of the respiratory tract, seek medical attention. Provide adequate ventilation as much as possible.

#### Swallowing

Rinse mouth and surrounding areas with water. Seek medical attention immediately.

### 4.2 Essential acute and delayed symptoms and effects

No further relevant information available

### 4.3 Advice on immediate first aid treatment or special treatment

No further relevant information available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Always use water spray to fight fires with lithium ion batteries. No special extinguishing media are required. Conventional extinguishing media should be used to fight fires in the vicinity of the batteries. Battery fire cannot be considered separately from surrounding fire.

The cooling effect of water hampers propagation of the fire to battery cells which have not yet reached the critical temperature for ignition ("thermal runaway").

Reduce the fire burden by singling out large quantities and removing them from the hazard area.

### 5.2 Special hazards arising from the substance or mixture

In the event of a fire, gases can be formed which are harmful to health when inhaled.

### 5.3 Advice for firefighters

Ensure adequate respiratory protection. Use self-contained respiratory equipment.

Observe local regulations and ensure adequate ventilation.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment appropriate to the situation (protective gloves, protective clothing, face protection, respiratory protection).

Wear protective gloves to prevent direct skin contact. Rinse with copious amounts of water.

### 6.2 Environmental precautions

Avoid seepage into the sewer system and/or soil.

### 6.3 Methods and materials for containment and cleaning up

Electrolyte can emerge if the battery housing is damaged. Place batteries in an air-tight plastic bag and add dry sand, lime powder (CaCO<sub>3</sub>) or vermiculite. Electrolyte traces can be soaked up with dry paper towels.

### 6.4 Reference to other sections

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protective equipment.

See Section 13 for more information on disposal.

## 7. HANDLING AND STORAGE

---

### 7.1 Reference to other sections

**Handle discharged batteries carefully**, Discharged batteries are also a hazard source because they can still deliver very high short-circuit currents. Even when lithium ion batteries appear to be discharged, they must be handled just as carefully as when they are not discharged.

**Avoid exposure to physical effects and/or blows**, Blows and penetration of objects can damage the battery. That can lead to leaks, overheating, smoke formation, ignition or explosion of the battery.

**Keep batteries away from other metallic objects**, Including paper clips, coins, keys, screws, and other metallic objects which could cause shorting of the battery terminals. A short-circuit between the battery terminals can cause burns or fire.

**Liquid can emerge from the battery if it is used improperly**, Avoid contact with leaky batteries. In case of accidental contact, rinse with water. If the liquid comes in contact with the eyes, also seek medical attention. Emerging liquid can lead to skin irritation or burns.

**Do not expose batteries to fire or high temperatures**, If the batteries are thrown into a fire or exposed to temperatures above 85°C, the heat can lead to an explosion and/or fire and cause personal injuries. Do not incinerate batteries except in a waste incinerator approved for that purpose.

**Do not dismantle batteries**, Dismantling or altering the battery can degrade the protective measures. That can lead to overheating, smoke formation, ignition or explosion of the battery.

**Do not immerse batteries in liquids, such as water or beverages**, Contact with liquids can damage the battery. That can lead to overheating, smoke formation, ignition or explosion of the battery.

**Recharge batteries only in battery chargers recommended by the manufacturer**, There is a risk of fire if a charger is used with batteries other than those for which it is intended.

**Use batteries only in the electrical tools and garden implements for which they are intended**, Using other electrical tools or garden implements can lead to injuries or fire.

**Do not use batteries which are damaged or in abnormal condition**, Damaged batteries and batteries in abnormal condition can have unforeseeable properties which can lead to fire, explosion or personal injuries.

**Do not use defective batteries**, Stop using the battery immediately if it shows signs of abnormal properties, such as odour, heat, discolouration or deformation. Continued use of a defective battery can lead to overheating, smoke formation, ignition or explosion.

### 7.2 Conditions for safe charging with respect to incompatibilities

Always carefully observe the warning notices on the batteries and in the use instructions. Using only recommended battery types.

Lithium batteries should preferably be stored in a dry place at room temperature (max. 50°C). Large temperature variations should be avoided (do not store close to heaters, avoid long-term exposure to direct sunlight, etc.).

Consult local authorities and/or insurance companies with regard to the storage of relatively large quantities of lithium batteries.

### 7.3 Specific end uses

No further relevant information available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Lithium ion batteries are products which do not release any substances under normal and reasonably foreseeable conditions of use. Exposure control and personal protective equipment are therefore not normally required.

### 8.2 Exposure controls

If substances are released from the battery cells, the following instructions for accident prevention when handling chemicals must be observed.

#### Personal protective equipment



Protective gloves with CE mark conforming to category III of EN 374.



Closed safety glasses or goggles



Protective clothing

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

General information

Form Compact batteries with (plastic) enclosure and electrical terminals

Colour Black

Odour Odourless

Odour threshold Not applicable

pH Not applicable

Melting point / freezing point Not applicable

Boiling point Not applicable

Flash point Not applicable

Flammability (solid, gas) Not determined

Ignition temperature Not determined

Decomposition temperature Not determined

Spontaneous flammability Not spontaneously flammable

Explosion hazard

No explosion hazard in normal and reasonably foreseeable use

Explosive limits (lower, upper) Not determined

Vapour pressure Not applicable

Density Not determined

Solubility / miscibility in water Insoluble

Partition coefficient Not applicable

Viscosity Not applicable

Solvent content 0.0%

### **9.2 Other information**

No further relevant information available

## **10. STABILITY AND REACTIVITY**

### **10.1 Reactivity**

**10.2 Chemical stability**, No decomposition when used as intended

**10.3 Possibility of hazardous reactions**, No hazardous reactions known

**10.4 Conditions to avoid**, If the upper temperature limit (e.g. 130°C) is exceeded, there is a risk that the batteries may burst or that the pressure relief vent may open.

Storage temperatures above 60°C can lead to accelerated ageing and premature loss of functionality.

**10.5 Incompatible materials**, Strong oxidants, strong acids, electrically conductive materials

**10.6 Hazardous decomposition products**, Vapours harmful to health are released in the event of fire.

## **11. TOXOLOGICAL INFORMATION**

### **11.1 Information about toxicological effects**

Lithium batteries are products which do not release any substances under normal and reasonably foreseeable conditions of use. Organic electrolyte and other ingredients may be released if the product is damaged. Primary irritative effect:

#### **On the skin**

Irritating to the skin and mucous membranes.

#### **On the eyes**

Irritating

#### **Additional toxicological information**

According to the calculation procedure of the latest EC version of the General Classification Guideline, the product is not subject to labelling requirements.

## **12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**, No further relevant information available

**12.2 Persistence and degradability**, No further relevant information available

**12.3 Bioaccumulative potential**, No further relevant information available

**12.4 Mobility in soil**, No further relevant information available

### **12.5 Results of PBT and vPvB assessment**

PBT: Not applicable

vPvB: Not applicable

### **12.6 Other adverse effects**

**General considerations**, No adverse effects on the environment are to be expected under normal and reasonably foreseeable conditions of use. The batteries do not contain any heavy metals (lead, cadmium, mercury, etc.)

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of the battery pack in accordance with national regulations.

In the EU, used batteries may not be disposed of as household waste and may not be mixed with batteries of different types, in order to avoid difficulties with recycling and hazards to people and the environment.

Used batteries must be taken back (at no charge) by the sales point or handed in to a disposal facility (industrial or commercial).

In accordance with the European directive for batteries, lithium batteries are marked with the "symbol for sorted collection" (a waste bin with a strike-through line) as shown in the figure.



To prevent short circuits and resulting heat generation, lithium batteries may never be stored or transported unprotected in loose bulk. Suitable measures to prevent short circuits include:

- Placing the battery in the original package, in the original device or in a plastic bag
- Taping over the terminals
- Embedding in dry sand

### European Waste Catalogue

16 06 05 Other batteries and accumulators

20 01 34 Batteries and accumulators other than those falling under 20 01 33

## 14. TRANSPORT INFORMATION

Commercial transport of lithium ion batteries is subject to the provisions of hazardous goods legislation. Transport preparation and transportation may only be performed by suitably trained persons and/or the process must be supervised by suitable experts or qualified firms.

**Transport regulations**, Lithium batteries are subject to the following hazardous goods regulations and related exceptions, in all cases in the latest applicable version:

### 14.1 UN numbers

UN 3480 / UN 3481

### 14.2 UN proper shipping name

UN 3480: LITHIUM ION BATTERIES

UN 3481: LITHIUM ION BATTERIES IN EQUIPMENT

(i.e. installed in the battery-operated device) or

LITHIUM ION BATTERIES PACKAGED WITH EQUIPMENT

(i.e. packaged together with the battery-operated device)

### 14.3 Transport hazard class(es)

Class 9

### 14.4 Packing group

#### ADR, RID

Special regulations ( $\leq 100$  Wh): 188, 230, 376, 377, 636b

Special regulations ( $> 100$  Wh): 230, 376, 377, 636b

Packing instructions: P903, P908, P909

Tunnel category E

#### IMDG code

Special regulations ( $\leq 100$  Wh): 188, 230b, 376, 377

Special regulations ( $> 100$  Wh): 230b, 376, 377

Packing instructions: P903, P908, P909

EmS: F-A, S-I

Stowage category A

#### ICAO, IATA-DGR

Special regulations: A88, A99, A154, A164, A183

Packing instructions ( $\leq 100$  Wh): 965 IB, 965 II, 966 II, 967 II

Packing instructions ( $> 100$  Wh): 965 IA, 966 I, 967 I

### 14.5 Environmental hazards, None

### 14.6 Special precautions for user, None

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code, Not applicable

**All transport modes**, Defective or damaged batteries are subject to more stringent regulations extending as far as a complete transport prohibition. A general transport prohibition applies to air transport (IATA Special Provision A154).

However, it must be pointed out that used but undamaged batteries are also subject to relevant special regulations. Air transport of waste batteries and batteries shipped to recycling or disposal facilities is prohibited (IATA Special Provision A183). Exceptions require the prior consent of the competent national authorities of the country of origin and the country of the aviation company.

## Safety Data Sheet

### Rechargeable lithium battery pack (1634753)

(battery pack with lithium ion cells)

according to 1907/2006/EC Article 31

Version 1.0

Date 3-26-2024

Page 6 of 6

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

#### National regulations

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)
- Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment (WEEE)
- Directive 2006/66/EC of the European Parliament and of the Council of 6 September 2006 on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC

**Classification according to the German Plant Safety Ordinance (BetrSichV),** None

**Other regulations, restrictions or prohibitory ordinance,** None

**Substances of very high concern (SVHC) according to REACH Article 57,** None

#### 15.2 Substance safety assessment,

None  
Transport regulations according to IATA, ADR, IMDG, RID. See also Section 14.

## 16. OTHER INFORMATION

The information in this document is intended to provide assistance for compliance with statutory regulations but does not replace them. It is based on the current state of our knowledge. The information in this document has been compiled to the best of our knowledge and ability. It does not constitute a warranty of properties. Distributors and users of the product are directly responsible for determining and complying with applicable legislation and regulations.

Effective Date: September 19, 2023

Supersedes: Not applicable, new issue

Prepared By: BISSELL Homecare, Inc.

2345 Walker Ave NW

P.O. Box 1888

Grand Rapids, MI 49544 USA

Tel: +1 (616) 453-4451

Fax: +1 (616) 453-1383

<http://www.bissell.com/>

SDS@BISSELL.com