

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



报告书使用约定

Terms of the Using of the Report

1. 本公司依据委托人(托运人或其代理人)提供的物品及其运输信息,确定物品的危险性并出具此报告书。

The report is issued by DGM China according to the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the goods.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对委托方所提供样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

- 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。
 This report will be effective only after it is signed by the inspector:, checker and approver, and stamped by DGM China.
- 未经本公司书面批准,不得复制本报告书。
 The duplicating of this report is prohibited without the written approval of DGM China.
- 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
 The report is invalid when anything of the following happens illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.
- 8. 报告书仅在本年度内有效。

This report is only valid within the year.

++++++	北京首都机场货运北路天竺综合保税区	RGS	货运楼	249	云	邮编.	101300
地址:	北尔目郁机场负运北路大三际合体悦区	DP2	贝坦铵	249	主	日日之田	101300

电话: 010-69479673

网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn

传真: 010-69479621



项目编号		SEKFZ202407108651		签发日期 Issued Date	2024.07.10			
Item No. 鉴别目的 Identification Purpose		是否属于运输危险物品 Dangerous Goods or not restrict	ted	鉴别日期 Identification Date	2024.07.10-2024.07.10			
鉴别依据 Identification Criteria		IMDG CODE (Amdt 41-22)						
勿品名称	中文名称 Name of Chinese	锂离子电池组 NZBF4813A 46.	.8V 12750mA	h 597Wh				
Name of Goods	英文名称 Name of English	Li-ion Battery Pack NZBF48	813A 46.8V	12750mAh 597Wh				
生产厂家 Manufacturer 物品信息 Nature of Goods		纳恩博(常州)科技有限公司 Ninebot(Changzhou)Tech(
		单独包装 该电池已固定且不能位移。单块电池样品的重量:3.92kg。 The goods are lithium ion batteries,black,almost cuboid,Size:263.7mm×139.5mm×74mm. Model/Group:NZBF4813A Number of batteries or cells per package:1 pieces Net quantity per package:3.92kg Cells or batteries only						
		危险物品 (Dangerous Goods)						
		UN 编号(UN No.):	号(UN No.): UN3480					
鉴别结论 Conclusions		运输专用名称(PSN)	Lithium ion batteries					
		危险性类别(Class or Div.) 9						
		包装等级(PG)	/					
Con	备注 nment	包装必须达到 II 级包装的性 Packagings must meet Packing			AND THE REAL PROPERTY OF THE PARTY OF THE PA			
主检 Appra	14	意文花 Checker	李赵	1 4	准人 prover (盖章) Stamp GM-CH			
÷			I					

1

1

北京迪捷姆空运技术开发有限公司

第3页共5页

北京迪捷姆空运技术开发有限公司

	目编号 n No.	SEKFZ202407108651		
物品名称	中文名称 Name of Chinese	锂离子电池组 NZBF4813A 46.8V 12750mAh 597Wh		
Name of Goods	英文名称 Name of English	Li-ion Battery Pack NZBF4813A 46.8V 12750mAh 597Wh		
		鉴别项目名称 Item	检验结果 Inspection Result	
	E瓦特小时数 ating of the b	为 597 Wh。 attery is 597 Wh.	>100Wh	
锂电池已通过 UN38.3 测试。 Each battery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3.				
电池按照规定的质量管理体系进行制造。 Batteries be manufactured under a quality management programme.				
he lithium	batteries don	池,不属于废弃和回收电池。 I't belong to batteries returned to the manufacturer for safety reasonsare not waste lithium batteries being shipped for recycling or disposal.	符合 Conform	
通过包装件 1.2 米跌落试验。 Each package is capable of withstanding a 1.2m drop test in any orientation.				
包装件需要按照特殊规定188的要求进行适当标记。 The package must be appropriately marked according to special provision 188.				
回装件内装 还须小心携 回装件破损 应急电话号 Cach consigne package pecial proc epacking if	时应采取的 一码。 contains lith must be hand redures should necessary; a	或电芯; 件破损,有易燃危险性; 特殊措施,包括检查和必要时的重新包装; ompanied with a document with an indication that: ium ion cells or batteries; dled with care, and that a flammability hazard exists if the package is damaged; d be followed in the event the package is damaged, to include inspection and	不适用 Not applicable	
/			/	
/			/	
	意事项 narks	每一单电池必须做好防短路措施,并装入坚固外包装内。 Each single battery must be packed in such a way as to prevent short circuits under conditions and packed in strong outer packagings.	r the normal	

出单: 黄文龙

103 ~ ~ ~ 10

第4页共5页

锂离子电池组 NZBF4813A 46.8V 12750mAh 597Wh

SEKFZ202407108651















第5页共5页

锂电池 UN38.3 试验概要 Lithium Battery Test Summary

项目编号: SEKFZ202407108651

/		位信息 Con	and the second se	nformat	ion			
委托单位 Consignor	常州市武进 电话/Tel:	纳恩博(常州)科技有限公司 常州市武进区常武中路 18 号常州科教城创研港 3 号楼 A 座 16、17 层 电话/Tel: 0519-69657964 邮箱/Mail: service@ninebot.com 网址/Website: www.ninebot.com						
生产单位 Manufacturer	常州市武进 电话/Tel:	纳恩博(常州)科技有限公司 常州市武进区常武中路 18 号常州科教城创研港 3 号楼 A 座 16、17 层 电话/Tel: 0519-69657964 邮箱/Mail: service@ninebot.com 网址/Website: www.ninebot.com						
测试单位 Test Lab	深圳市南山 电话/Tel:	中检集团南方测试股份有限公司 深圳市南山区西丽街道沙河路 43 号电子检测大厦 电话/Tel: 0755-86913552 邮箱/Mail: manager@ccic-set.com 网址/Website: www.ccic-set.com						
	E	电池信息 Ba	ttery Ir	nformati	on			
名称 Name		寄子电池组 Battery Pack	Batte	电池/电芯类别 Battery/Cell Classification		锂离子电池 Li-ion Battery		
型号 Type	N	ZBF4813A		商标 Trademark		/		
额定电压 Normal Voltage	-	46.8V		额定容量 Rated Capacity			12750mAh	
额定能量 Watt-hour rating		597Wh		外观/Appearance			黑色近长方体 Approximate Black Cuboid	
质量/Mass		3.92kg		锂含量/Li Content			不适用 N/A	
		测试信息	Fest Inf	ormatio	n			
测试报告编号 Test Report Numbe	SET-202	SET-20230606B06056X		测试报告签发日期 Date of Test Report			2024-06-11	
测试标准 Edition of UN Manu of Tests and Criteri Used		式验和标准手册》 al of Tests and Cri				end1/Subs	1	
T.1: 高度模拟	通过	T.2: 温度i		通过	T.3:			
Altitude Simulatio		Thermal T		Pass	Vibra		Pass 译记	
T.4: 冲击	通过	T.5: 外部知		通过		击/挤压 通过		
Shock	Pass	External Short		Pass 通过	Impact	Crush	Pass	
T.7: 过度充电	通过 Pass	T.8: 强制方 Forced Disch				有限公司。	7 00	
Overcharge UN38.3.3(f)		5月 N/A	arge	UN38.3.3	3(g) ×		适用 N/A	
T					1100	10	ATT .	
签名 Signatory 职务 Title	黄文		签发日期 Issued Date			2024-07-10	THE REAL	
	检验员	4				DOULC	N. 1	