


Safety Data Sheet 化学品安全技术说明书

Applicant's name 委托方名称	Dongguan Hengxun Energy Technology Co., Ltd 东莞市恒讯能源科技有限公司
Applicant's Address 委托方地址	Floor 1-2, East District, Building 13, Lihe Shuangqing Innovation Base, Qingbin East Road, Qingxi Town, Dongguan City 东莞市清溪镇清滨东路力合双清创新 基地 13 栋东区 1-2 楼
Name of Sample 样品名称	Rechargeable Polymer Lithium-ion Battery 可充电聚合物离子电池
Model 型号	3233176
Nominal Voltage 标称电压	3.7V
Rated Capacity 额定容量	2600mAh,9.62Wh
Weight 重量	46.0g
Size 尺寸 (L×W×T)	(184.0×33.2×3.5) mm
Prepared By 编制单位	Shenzhen Beihang Testing Co., Ltd. 深圳市北航检测有限公司 Room 202, 2/F, Building F, HaoWei Industrial Park, QingSong West Road, PingShan District, Shenzhen, Guangdong, China 广东省深圳市坪山区青松西路豪威工业园 F 栋 2 楼 202 房
Report No. 报告编号	BHSAFBT260324002-2

Written by 编写:

Candy

Approved by 批准:



Inspected by 审核:

Harry

Effective Date 生效日期:

2026-04-17

**Section 1- Chemical Product & Company Identification****第一部分 化学品及企业标识**

Name of Sample 样品名称	Rechargeable Polymer Lithium-ion Battery 可充电聚合物锂离子电池
Manufacturer's name 制造商名称	Dongguan Hengxun Energy Technology Co., Ltd 东莞市恒讯能源科技有限公司
Manufacturer's Address 制造商地址	Floor 1-2, East District, Building 13, Lihe Shuangqing Innovation Base, Qingbin East Road, Qingxi Town, Dongguan City 东莞市清溪镇清滨东路力合双清创新基地 13 栋东区 1-2 楼
Contact Person 联系人	\
Tel 电话	86-0769-83775469
Emergency Tel 应急电话	86-0769-83775469
E-mail 邮箱	2650401651@qq.com

Section 2- Hazards Identification**第二部分 危险性概述**

Classification of Danger 危险性类别	See section 14. 见第十四部分。
Primary Route(s) of Exposure 侵入途径	Eye, skin contact, ingestion. 眼睛, 皮肤接触, 摄入。
Health Hazard 健康危害	The batteries are not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's Hazard of rupture, fire, heat, leakage of internal components, which could cause casualty loss. Abuses including but not limited to the following cases: charged for long time, short circuited, put into fire, whacked with hard object, punctured with acute object, crushed, and broken. 正常条件下根据制造商的说明使用电池不会产生危害。使用不当的情况下, 有破裂、起火、发烫、内部成分泄漏的危险, 并可能造成意外损失。使用不当的行为包括但不限于下列情况: 长时间充电、短路、投入火中、硬物撞击、尖物刺破、破碎, 和破裂。

Section 3- Composition/Information on Ingredients

第三部分 成分/组成信息

Chemical Name 化学名称	Concentration or concentration ranges (%) 浓度或浓度范围(%)	CAS Number CAS 号(化学文摘索引/登记号)
Lithium Cobalt Oxide 钴酸锂	15-37	12190-79-3
Graphite 石墨	10-38	7782-42-5
Phosphate(1-), hexafluoro-, lithium 六氟磷酸锂	10-27	21324-40-3
Copper 铜	7-21	7440-50-8
Aluminum foil 铝箔	5-13	7429-90-5
Nickel 镍	1-9	7440-02-0

Labeling according to EC directives.

标签根据 EC 指令。

No symbol and Hazard phrase are required.

不需要象形符号和危险短语。

Note: CAS number is Chemical Abstract Service Registry Number.

注意: CAS 号是化学文摘服务注册号码。

N/A=Not apply.

N / A =不适用。

**Section 4- First Aid Measures****第四部分 急救措施**

Eye 眼睛	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. 万一接触，立即用大量的清水冲洗至少 15 分钟，翻起上下眼睑，直到化学的残留物消失为止，迅速就医。
Skin 皮肤	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 万一接触，用大量水冲洗至少 15 分钟，同时除去污染的衣物和鞋子，迅速就医。
Inhalation 吸入	Remove from exposure and move to fresh air immediately. Use oxygen if available. Immediately move from exposure to fresh air, if breathing is difficult, give oxygen, immediately seek medical attention.
Ingestion 食入	Ingesting damaged batteries, do not induce vomiting or give food or drink. Seek medical attention immediately. 食入损坏的电池，不要催吐且不要再吃下食物或喝饮料，立刻就医。

Section 5- Fire Fighting Measures**第五部分 消防措施**

Characteristics of Hazard 危险特性	Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes. 高密度粉尘遇空气会形成爆炸性混合物。燃烧生成有毒烟雾。
Hazardous Combustion Products 燃烧产生的危险物品	Carbon dioxide. 二氧化碳。
Fire-extinguishing Methods and Extinguishing Media 灭火方法及灭火剂	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam. 对于小型火险，可使用水枪，干冰（也就是液态二氧化碳）或化学泡沫。
Attention in Fire-extinguishing 灭火注意事项	Wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 因为压强关系，要穿戴可呼吸式全身防护装备，MSHA/NIOSH（经认证或等效的），以及佩戴全套防护装置。

Section 6- Accidental Release Measures**第六部分 泄露应急处理**

Personal Precautions, protective equipment, and emergency procedures 个人预防措施、防护装备和应急程序	In case of rupture. Attention! Corrosive material. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8.
---	---



Safety Data Sheet

	万一破裂。注意！腐蚀性物质。避免接触皮肤，眼睛或衣服。确保空气流通。根据需要使用个人防护装备。将人员撤离到安全区域。让人们远离溢出/泄漏处和处于逆风。参考第七部分和第八部分中列出的防护措施。
Environmental Precautions 环境保护措施	Prevent product from contaminating soil and from entering sewers or waterways. 防止产品污染土壤和进入下水道或水道。
Methods and materials for Containment 方法和材料控制	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全，阻止泄漏，可以用干砂或泥土来遏制液体溢出，立即清理溢出物。
Methods and materials for cleaning up 清理的方法和材料	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal. 用惰性吸收剂(干砂或泥土)吸收溢出的材料。污染物转移到可接受的废物容器中。收集所有受污染的吸收剂，按照第十三部分的说明进行处理。用洗涤剂和水清洁污染区域，收集所有受污染的洗涤水，妥善处理。

Section 7- Handling and Storage

第七部分 操作处置与储存

Handling 操作	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下，电池可能发生爆炸和燃烧。禁止短路或将电池正负极错误的安装在设备中。
Storage 储存	Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children. 储藏于阴凉，干燥，通风处，远离接触会发生反应的材料。存储锁定。放在儿童无法接触的地方。
Other Precautions 其他要注意的防范措施	In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. 万一破裂。按照良好的工业卫生和安全规范进行操作。避免接触皮肤，眼睛或衣服。使用个人防护设备。

Section 8 - Exposure Controls/Personal Protection



第八部分 接触控制和个体防护

Engineering Controls

工程控制

Use adequate ventilation to keep airborne concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m³ respirable fraction (10mg/m³ total) should be observed.

保证空气流通使空气密度保持在低水平。如果在会生成微粒的情况下使用，应仔细观察 3mg/m³ ACGIH TLV-TWA 3 的吸入量（总量为 10mg/m³）。

Personal Protective Equipment

个人防护设备

Eye and Face Protection: None required for consumer use. If there is a Hazard of contact: Tight sealing safety goggles. Face protection shield.

眼睛和脸部保护：消费者无需使用。如果有接触危险：密封安全护目镜。面部防护罩。

Skin and Body Protection: None required for consumer use. If there is a Hazard of contact: Wear protective gloves and protective clothing.

皮肤和身体防护：消费者无需使用。如果有接触危险：穿戴防护手套和防护服。

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced,柱 ventilation and evacuation may be required.

呼吸系统防护：正常使用条件下不需要防护设备。如果超过暴露限值或发生刺激，可能需要通风和疏散。

Section 9- Physical and Chemical Properties

第九部分 理化特性

Physical State

物理状态

State: Solid

状态：固体

Color: Black

颜色：黑色

Odour: If leaking, smells of medical ether.

气味：泄漏时，医用乙醚的气味。

Change in condition:

变化的条件：

Odor

气味

Odorless

无气味

Odor threshold

嗅觉阈值

Not applicable 不适用。

pH

酸碱度

Not applicable 不适用。

Melting/freezing point

熔点/凝固点

Not applicable 不适用。

Boiling Point, initial

Not applicable 不适用。

**Safety Data Sheet**

boiling point and Boiling range 沸点/沸腾范围	
Flash Point 闪点	Not applicable 不适用。
Evaporation rate 蒸发率	Not applicable 不适用。
Flammability 可燃性	No information available 无资料
Upper/lower flammability or explosive limits 可燃性或爆炸性上/下 限	No information available 无资料
Vapor pressure 蒸汽压	Not applicable 不适用。
Vapor Density (Air = 1) 相对蒸汽密度（空气 =1）	Not applicable 不适用。
Density/relative density (Water=1) 相对密度(水=1)	Not applicable 不适用。
Flammability 易燃度	Not applicable 不适用。
Relative density: 相对密度	Not applicable 不适用。
Solubility (water) 溶解性（水溶性）	Not applicable 不适用。
Solubility (other) 溶解性（其他）	Not applicable 不适用。
n-octanol/water partition coefficient 辛醇/水分配系数	Not applicable 不适用。
Autoignition temperature 自燃温度(°C)	Not applicable 不适用。
Decomposition temperature 分解温度(°C)	No information available 无资料

**Section 10 – Stability and Reactivity****第十部分 稳定性和反应性**

Chemical Stability 化学稳定性	Stable under recommended storage conditions. 在推荐的储存条件下可以保持稳定。
Possibility of Hazardous Reactions 危险反应的可能性	None under normal processing. 正常处理下没有。
Conditions to Avoid 应避免的条件	Exposure to air or moisture over prolonged periods. 暴露在空气中或长时间受潮。
Incompatible materials 不相容材料	Acids, Oxidizing agents, Bases. 酸，氧化剂，碱。
Hazardous Decomposition Products 有危害分解物	Carbon oxides. 二氧化碳。

Section 11 – Toxicological Information**第十一部分 毒理学信息**

Irritation 刺激	In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下，蒸汽烟雾可能对眼睛和皮肤的刺激性。
Sensitization 致敏	Not Available. 不适用。
Reproductive Toxicity 再生毒性	Not Available. 不适用。
Toxicologically Synergistic Materials 协同材料毒理学	Not Available. 不适用。

Section 12-Ecological Information**第十二部分 生态学信息**

General note: 通用信息:	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 不允许未稀释或大量的产品接触地下水、水道或污水处理系统。
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity 化学产品对环境/可能的环境预期的行为的一种生态毒性	Not Available. 不适用。

Section 13 – Disposal Considerations**第十三部分 废弃处置**



Safety Data Sheet

Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment 废弃注意事项	Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling. 废电池不能被当作普通垃圾。不能扔进火中或置于高温下。不能解体，刺穿，破碎或类似的处理。最好的处理办法是回收利用。

Section 14 – Transport Information 第十四部分 运输信息	
UN number 联合国货物编号 (UN 编号)	3480 & 3481
Proper shipping name 运输专用名称	UN3480-Lithium ion batteries (PI 965) UN3480-锂离子电池组(PI965) UN3481- Lithium Metal Batteries packed with equipment (PI 966) UN3481-电锂离子电池与设备包装在一起 (PI 966) UN3481-Lithium ion Batteries Contained In Equipmen (PI 967) UN3481-锂离子电池安装在设备中 (PI 967)
Transport hazard class(es) 运输危害分类	N/A
Packing Group 包装等级	N/A
Marine pollutant 海洋污染物	无
ICAO / IATA: 国际民间航空组织/国际航空运输协会:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DGR Packing Instructions (PI) 965 Section IB、(PI) 966、967 Section II of IATA DGR 67th (2026 Edition) for transportation. 可根据民用航空组织 (ICAO)，TI 或国际航空运输协会 (IATA)，DGR 67th (2026 版) 包装说明(PI) 965 Section IB、(PI) 966、967、Section II 相关规定进行空运。
IMDG CODE: 国际海运危险货物规则:	Not Restricted As per IMDG Code 2024 Edition (Amdt 42-24) Special Provision 188 根据 IMDG Code 2024 版 (Amdt 42-24) 特殊规定 188 不受限制。
ADR 国际公路运输危险货物协定	European Agreement Concerning the International Carriage of Dangerous Goods by Road under Special Provision 188 《国际公路运输危险货物协定》(ADR) 根据特殊规定 188
RID: 国际危险货物铁路运输欧洲协定	Regulations concerning the International Carriage of Dangerous Goods by Rail under Special Provision 188 《国际危险货物铁路运输欧洲协定》(RID)根据特殊规定 188
In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria. 此外，每个锂电芯和电池类型都必须通过联合国《关于危险货物运输的建议书 试验和标准手册》第 38.3 节规定的适用测试。	

Section 15 – Regulatory Information

第十五部分 法规信息

Safety, health and environmental regulations/legislation specific for the substance or mixture

针对该物质或混合物的安全，健康和环境法规/立法

International chemical inventory

国际化学品名录

With regard to transport, the following regulations are cited and considered:

关于运输,引用和考虑了以下法规:

Recommendations on the Transport of Dangerous Goods Model Regulations (TDG)

关于危险货物运输的建议书规章范本(TDG)

International Civil Aviation Association Dangerous Goods Regulation (IATA-DGR)

国际民用航空协会《危险品规则》(IATA-DGR)

International Maritime Dangerous Goods Code (IMDG-CODE)

国际海运危险货物规则(IMDG-CODE)

International Railway Transport Dangerous Goods Regulations (RID)

国际铁路运输危险货物规则 (RID)

Agreement on the International Carriage of Dangerous Goods by Road (ADR)

国际公路运输危险货物协定(ADR)

Agreement on the International Carriage of Dangerous Goods by Inland Waters (ADN)

国际内河运输危险货物协定 (ADN)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA)

《国际航空运输协会》(IATA)

Technical Instructions for the Safe Transport of Dangerous Goods

《危险货物安全运输技术指南》

Classification and code of dangerous goods

《危险货物分类和品名编号》

OSHA Hazard Communication Standard


《职业安全与健康标准》危险通信标准

Section 16 – Additional Information

第十六部分 其他信息

SDS creation date: 2026 Version: 1.0

Sample photo 样品照片:



Disclaimer 免责声明

This SDS is only compiled for battery and based on the information such as ingredients provided by the applicant and our current knowledge. This SDS shall be used only as a guide. If the battery is used as a component in another product, the information in this SDS may not be applicable. The users of this SDS must make independent judgments on the correctness and completeness and then decide its suitability according to the actual situation. The users should take the relevant legal responsibilities for the consequences of use.

本 SDS 报告仅针对电池。报告内容是根据申请单位提供的成分含量等信息和我司现有知识编写，仅作为指导使用。如果电池被用于其它产品中的组件，本 SDS 报告的信息可能不适用。本 SDS 的使用者必须对内容的正确性与完整性做出独立判断，根据实际情况决定其适用性，并对使用后果承担相关法律责任。

This report shall not be reproduced except in full, without the written approval of Shenzhen Beihang Testing Co., Ltd.

本报告不得进行任何形式的复制，除非获得深圳市北航科技有限公司的书面许可。

*****End of document 文件结束*****