

TEST REPORT	
EN 62479: 2010	
Report Reference No.....	RLT2608027-04
Compiled by (position+printed name+signature)...	Quinn
Supervised by (position+printed name+signature)...	Cindy Yang
Approved by (position+printed name+signature)...	Daniel Wan
Date of issue.....	Aug, 07, 2026
Testing Laboratory Name.....	Rhenish-Lab Testing (Shenzhen) Co., Ltd.
Address.....	101, Building B, Bailu Plaza, No. 48, Gonghe Industrial Road, Gonghe Community, Xixiang Street, Baoan District, Shenzhen, Guangdong, China
Applicant's name :	Hyperkin, Inc.
Address.....	1939 West Mission Blvd. Pomona, CA 91766
Test specification	
Standard.....	EN 62479: 2010
Test item description.....	Pixelbyte Controller
Trade Mark.....	Hyperkin
Manufacturer.....	Hyperkin, Inc.
	1939 West Mission Blvd. Pomona, CA 91766
Model/Type reference.....	M09999
Serial Model.....	M09999-AOT,M09999-OPxx, M09999-APxx, M09999-Fnxx
Ratings.....	Input: DC5V, 1A
Result.....	PASS

TEST REPORT

Test Report No. :	RLT2306007-03	Jun 09, 2023
		Date of issue

Equipment under Test : Pixelbyte Controller

Model Name : M09999

Serial Model : M09999-AOT,M09999-OPxx, M09999-APxx, M09999-Fnxx

Trade Mark : Hyperkin

Applicant : Hyperkin, Inc.

Address : 1939 West Mission Blvd. Pomona, CA 91766

Manufacturer : DONGGUAN KING SHENG ELECTRONICS TECHNOLOGY CO.,LTD

Address : No 39,XinFu Road,Lin Cun Village,TangXia Town, Dongguan City, Guangdong province, China

Test Result	PASS
-------------	------

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.



Contents

1. TEST STANDARDS 4

2. SUMMARY 4

2.1. General Remarks 4

2.2. Product Description 4

3. EN 62479 REQUIREMENT 5

3.1. LIMIT 5

3.2. RESULT 5



1. TEST STANDARDS

The tests were performed according to following standards:

EN 62479:2010—Assessment of the compliance of low-power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields(10MHz to 300GHz)

2. SUMMARY

2.1. General Remarks

Date of receipt of test sample	:	Aug. 04, 2026
Testing commenced on	:	Aug. 04, 2026 to Aug. 07, 2026
Testing concluded on	:	Jun.27, 2023

2.2. Product Description

Product Name:	Pixelbyte Controller
Model:	M09999
Serial Model:	M09999-AOT,M09999-OPxx, M09999-APxx, M09999-Fnxx
Trade Mark:	Different models have different appearance colors, the same function and circuit layout
Frequency range:	Hyperkin
Channel Number:	Bluetooth: From 2402MHz to 2480MHz
Type of Modulation:	2 channel
Antenna Type:	GFSK, $\pi/4$ DQPSK
Power Supply:	DC 5.0V From external circuit, Class III

3. EN 62479 REQUIREMENT

3.1. LIMIT

A. Typical usage, installation and the physical characteristics of equipment make it inherently compliant with the applicable EMF exposure levels such as those listed in the bibliography. This low-power equipment includes unintentional (or non-intentional) radiators, for example incandescent light bulbs and audio/visual (A/V) equipment, information technology equipment (ITE) and multimedia equipment (MME) that does not contain radio transmitters.

NOTE Equipment is described as A/V equipment, ITE or MME if its main use is playback/recording of music, voice or images, or processing of digital information.

B. The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in 4.2.

C. The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in 4.2.

D. Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in 4.2.

3.2. RESULT

The available antenna power of this EUT is 0.48mW(-3.18Bm), the power are below the low-power exclusion level defined in 4.2(Pmax: 20mW)."

.....**End of Report**.....

