

LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name/Description of cell	
Li-ion Battery	

2. Manufacturer of cell	
Name	Shenzhen Changxingda New Energy Co., Ltd.
Address	Building 6, Area A-6, Tongfuyu Industrial Park, Buyong, Shajing Street, Bao'an District, Shenzhen City
Phone	+86-755-29488040
Email	493966710@qq.com
Website	

2a. Manufacturer of the equipment (if the cell is contained in equipment)	
Name	HongKong Bayuda Technologies, co.,ltd.
Address	Baoan
Phone	
Email	
Website	

3. Test laboratory of cell	
Name	Shenzhen TCT Testing Technology Co., Ltd.
Address	1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan District, Shenzhen, Guangdong, China
Phone	86-755-27673339
Email	tom@tct-lab.com
Website	http://www.tct-lab.com

4. ID-number and date			
Unique test report identification number	TCT200508B060	Date of test report	18.05.2020

DESCRIPTION OF CELL

5. Mark the type of cell/battery with an "•"	
<input checked="" type="radio"/> Lithium ion cell	<input type="radio"/> Lithium metal cell

LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell (taken from field 1)

Li-ion Battery

6. Parameters	Cell
Mass in gram (g):	
Lithium ion: Indicate watt-hour rating (Wh):	9.12 Wh
Lithium metal: Indicate lithium metal content in gram (g):	

7. Physical description of cell
Prismatic

8. Model numbers
395877AR

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an " " "	N/A	pass	fail
T1 - Altitude simulation	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T2 - Thermal Test	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T3 - Vibration	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T4 - Shock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T5 - External Short Circuit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
T6 - Crush - for prismatic cells, pouch cells and cylindrical cells having a diameter of less than 18 mm	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T7 - Overcharge	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T8 - Forced Discharge	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

10. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto
ST/SG/AC.10/11/Rev.6/Amend.1

LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell (taken from field 1)

Li-ion Battery

ADDITIONAL SUPPLIER INQUIRY

11. Quality management system for manufacturing cells Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
--	----------------------------------	-----	----	-----------------------

12. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium metal cell: more than 1 g Lithium	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
---	-----------------------	-----	----	----------------------------------

Check point 13 – 15 need to be answered when 13 has been ticked "YES":				
13. Does each cell incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
14. Is each cell equipped with an effective means of preventing external short circuits?	<input type="radio"/>	YES	NO	<input type="radio"/>
15. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)	Not relevant for cells			N/A <input type="radio"/>

16. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells						
State of Charge (SoC) max. 30 %	<input type="radio"/>	N/A	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>

CELLS INSTALLED IN EQUIPMENT

17. Check point 17 needs to be answered when the cells are installed in articles:						
17.a) Only button cells enclosed?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>		
17.b) Number of enclosed cells (other than button cells) per equipment	1					
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
17.c) Confirmation that no dangerous amount of heat is emitted from the equipment	<input type="radio"/>	N/A	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
17.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	<input type="radio"/>	N/A	<input type="radio"/>	YES	NO	<input type="radio"/>

18. Place, Date	19. Title, Surname, First name	20. Company stamp and signature
01.02.2021		GO Europe GmbH Zum Kraftwerk 1 45527 Hattingen (Germany)

Tel.: +49(0)2324-6801-0 Fax: - 95
www.go-europe.com