Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LE, Lighting Ever, LEpro

Supplier's address: LE Innovation Limited, North Wall Quay One Spencer Dock, D01 X9R7 Dublin 1, IE

Model identifier: PR410049-DWW-EU

Type of light source:


| Lighting technology used: | LED | Non-directional or directional: | NDLS | | |
|-------------------------------|--------------|---------------------------------|------|--|--|
| Light source cap-type | DC interface | | | | |
| (or other electric interface) | | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | No | Envelope: | - | | |
| High luminance light source: | No | | | | |
| Anti-glare shield: | No | Dimmable: | Yes | | |
| Product parameters | | | | | |

| Parameter | | Value | Parameter | Value | |
|--|---|---------------------------|--|--------------|--|
| | | | | vulue | |
| General product parameters: | | | | | |
| 0, | nption in on- 00 h), rounded st integer | 12 | Energy efficiency class | G | |
| dicating if it refe a sphere (360°) | s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 1 320 in Sphere (360°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 30005700 | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 12,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | |
| (P _{net}) for CLS, e | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 | |
| Outer dimen- | Height | 3 | Spectral power dis- | See image | |
| sions without | Width | 10 | tribution in the | in last page | |
| separate con- trol gear, light- | Depth | 5 000 | range 250 nm to 800 nm, at full-load | | |

| ing control parts and non- lighting con- trol parts, if any (millime- tre) | | | | | | |
|---|------|---------------------------------------|-------|--|--|--|
| Claim of equivalent power ^(a) | - | lf yes, equivalent power (W) | - | | | |
| | | Chromaticity coordi- | 0,322 | | | |
| | | nates (x and y) | 0,331 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 10 | Survival factor | 1,00 | | | |
| the lumen maintenance factor | 0,96 | | | | | |
| (a) | ÷ | · · · · · · · · · · · · · · · · · · · | | | | |

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 17/11/2021



EPREL registration number: 1058562

Supplier: LE Innovation Limited (Manufacturer)

Customer care service:

Name: LE Innovation Limited

Email: Vich@lepro.com

Address: North Wall Quay One Spencer Dock D01 X9R7 Dublin 1 Ireland https://eprel.ec.europa.eu/qr/10 58562

Website:

Website: www.lepro.de

Phone: +49 800 7236202