

PRODUKTDATENBLATT

Modellkennung(en)	10038396, 10038397, 10038398, 10038399					
Angabe	Symbol	Wert	Einheit		Angabe	Einheit
Wärmeleistung					Nur bei elektrischen Speicher-Einzelraumheizgeräten: Art der Regelung der Wärmezufuhr	
Nennwärmeleistung	P _{nom}	1,8	kW		Manuelle Regelung der Wärmezufuhr mit integriertem Thermostat	k.A.
Mindestwärmeleistung (Richtwert)	P _{min}	0	kW		Manuelle Regelung der Wärmezufuhr mit Rückmeldung der Raum- und/oder Außentemperatur	k.A.
Maximale kontinuierliche Wärmeleistung	P _{max,c}	1,8	kW		Elektronische Regelung der Wärmezufuhr mit Rückmeldung der Raum- und/oder Außentemperatur	k.A.
Hilfsstromverbrauch					Wärmeabgabe mit Gebläseunterstützung	k.A.
Bei Nennwärmeleistung (Ventilator-Motor)	e _{lmax}	0	kW		Art der Wärmeleistung/Raumtemperaturkontrolle	
Bei Mindestwärmeleistung (Ventilator-Motor)	e _{lmin}	0	kW		Einstufige Wärmeleistung, keine Raumtemperaturkontrolle	nein
Im Bereitschaftszustand	e _{lSB}	0	W		Zwei oder mehr manuell einstellbare Stufen, keine Raumtemperaturkontrolle	nein
					Raumtemperaturkontrolle mit mechanischem Thermostat	nein
					Mit elektronischer Raumtemperaturkontrolle	nein
					Mit elektronischer Raumtemperaturkontrolle und Tageszeitregelung	nein
					Mit elektronischer Raumtemperaturkontrolle und Wochentagsregelung	ja
				Sonstige Regelungsoptionen		
					Raumtemperaturkontrolle mit Präsenzerkennung	nein
					Raumtemperaturkontrolle mit Erkennung offener Fenster	ja
					Mit Fernbedienungsoption	nein
					Mit adaptiver Regelung des Heizbeginns	nein
					Mit Betriebszeitbegrenzung	ja
					Mit Schwarzkugelsensor	nein
Kontaktangaben	Chal-Tec GmbH, Wallstraße 16, 10179, Berlin, Deutschland					

PRODUCT DATA SHEET

Model identifier(s):	10038396, 10038397, 10038398, 10038399				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only	
Nominal heat output	P_{nom}	1.8	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1.8	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output (fan motor)	el_{max}	0	kW	Type of heat output/room temperature control	
At minimum heat output (fan motor)	el_{min}	0	kW	single stage heat output and no room temperature control	no
In standby mode	el_{SB}	0	W	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	no
				with working time limitation	yes
				with black bulb sensor	no
Contact details	Chal-Tec GmbH, Wallstraße 16, 10179, Berlin, Germany				